



Title	Focus collection on Modern Approaches for Sports Medicine and Performance
Authors(s)	Stuart, Samuel, Johnston, William, Caulfield, Brian, Godfrey, Alan
Publication date	2019-09-26
Publication information	Stuart, Samuel, William Johnston, Brian Caulfield, and Alan Godfrey. "Focus Collection on Modern Approaches for Sports Medicine and Performance." IOP Publishing, September 26, 2019. https://doi.org/10.1088/1361-6579/ab3deb .
Publisher	IOP Publishing
Item record/more information	http://hdl.handle.net/10197/11408
Publisher's version (DOI)	10.1088/1361-6579/ab3deb

Downloaded 2026-05-01 23:48:00

The UCD community has made this article openly available. Please share how this access benefits you. Your story matters! (@ucd_oa)



© Some rights reserved. For more information

Focus Collection on Modern Approaches to Sports Medicine and Performance

Samuel Stuart^{1,2}, William Johnston^{3,4}, Brian Caulfield^{3,4} and Alan Godfrey⁵

¹Department of Neurology, Oregon Health and Science University, Portland, Oregon, USA

²Veterans Affairs Portland Healthcare System, Portland, Oregon, USA

³Insight Centre for Data Analytics, University College Dublin, Dublin, Ireland

⁴School of Public Health, Physiotherapy and Sports Science, University College Dublin, Dublin, Ireland

⁵Department of Computer and Information Sciences, Northumbria University, Newcastle-upon-Tyne, UK

Introduction

In the 21st Century there are more people than ever before participating in sports, with sport becoming a universal language to bring people together no matter what their background or origin. Sports medicine and performance provision in amateur and elite level sport have been growing over the past decade (Stuart et al., 2018), due to the recognition of such provision in preventing and minimizing sports-related injuries, as well as enhancing techniques or performance. In order to maintain a winning edge, modern athletes, clinicians (i.e. doctors, physiotherapists, sports therapists/athletic trainers etc.) and performance enhancement specialists (i.e. strength and conditioning coaches etc.) are keen to develop analytical parameters that can reduce injury risk, speed-up recovery times and improve all aspects of player performance (Baca and Schwartz, 2016). Traditionally, clinicians and background support staff are required to deal with complex injuries and performance issues using only subjective rating scales or professional experience, which only provide limited understanding of the problem and may not be sensitive to subtle underlying impairments or issues. For example, the development of simple subjective paper-based concussion assessments (e.g. Sport Concussion Assessment Tool) allowed clinicians to standardize assessment for potential deficits (Stuart et al., 2017). The simplicity and subjectivity of paper-based assessments may lead to subtle deficits or issues being missed, which may lead to athletes returning to play before they are ready, as well as increased risk of further serious injuries or declines in performance. For example, 60% of rugby players returning to play within the same season as having a concussion either have symptom reoccurrence or a secondary injury (Cross et al., 2016). This problem has led to a growth in the sports technology industry (Thompson, 2014), with a plethora of novel technologies and wearable devices marketed towards assisting sports medicine and performance professionals in managing athlete health and fitness by providing highly sensitive, quantitative and objective outcomes (Mooney et al., 2015, O'Reilly et al., 2018).

1
2
3 Development and application of sports technology has been enabled with novel designs, advanced materials
4 and increasingly smaller micro-technologies (Thompson, 2018). Such devices provide a deeper
5 understanding of the particular needs of athletes and their health/performance, which are beginning to be
6 used by multidisciplinary teams of support staff to provide innovative healthcare and training enhancement.
7 With the application of modern technologies within sports medicine and performance settings, people are
8 now able to visualize objective information regarding an array of physical activity, health, daily movement,
9 mood, and behaviors, in order to monitor their routines, improve sport performance or change
10 techniques/behavior (Düking et al., 2016, Mertz, 2013). However, the application of sports technology is
11 currently done in an *ad hoc* manner, which is largely based upon the limited understanding of best practice
12 in this area. There is therefore a vital need to develop and understand modern techniques or technologies
13 that can provide quantifiable evidence to identify risk factors for injury prevention, as well as assist in injury
14 diagnosis, management and performance progression.
15
16
17
18
19
20
21

22 Therefore, Physiological Measurement is pleased to present the Focus Collection entitled “Modern
23 Approaches for Sports Medicine and Performance” ([https://iopscience.iop.org/journal/0967-
24 3334/page/Focus_on_modern_approaches_for_sports_medicine_and_performance](https://iopscience.iop.org/journal/0967-3334/page/Focus_on_modern_approaches_for_sports_medicine_and_performance)). This focus collection
25 aims to provide an awareness of the modern sports-related technologies available to sports medicine and
26 performance professionals, with a particular focus on their usefulness within practice and robustness to
27 provide deeper understanding of the athlete population. This collection of articles presents some recent
28 advances in novel technological applications to sports medicine and performance, specifically addressing
29 areas such as theoretical, methodological and practical approaches to be considered when applying modern
30 technologies within sports settings or populations.
31
32
33
34
35
36

37 **Modern Approaches**

38
39 Objective technological applications within sport can be derived from “snapshots” of motor function
40 through highly sensitive, but expensive and large-scale devices, such as the use of 3D motion capture or
41 force plates by Stoneham et al. (2019) and Murray et al. (2019). However, progression has been made to
42 inexpensive mobile technologies, such as inertial sensors (Johnston et al., 2016, Johnston et al., 2018), that
43 are capable of capturing an array of immediate or longitudinal data related to athlete health and performance
44 (Fantozzi et al., 2016, Rawashdeh et al., 2016, MacDonald et al., 2017, Fino et al., 2019). For example,
45 Christopher et al. (2019) have used wearable heel-mounted foot sensors to measure running biomechanics
46 in athletes. Furthermore, research-grade wearable devices are being examined for application within
47 sporting or athlete populations to inform clinical and performance decisions. For example, Stuart et al.
48 (2019) used mobile eye-trackers to study concussion injuries and Snegireva et al. (2018) reviewed the use
49 of such devices for sports-related concussion injuries. Additionally, smartphones/tablets (Johnston et al.,
50
51
52
53
54
55
56
57
58
59
60

1
2
3 2017), functional near infra-red spectroscopy (Urban et al., 2015, Hocke et al., 2018) and other research
4 devices have been used to provide objective measurement outcomes. For example, Howell et al. (2019)
5 used a smartphone to capture gait measures to differentiate adolescents with concussion from healthy
6 controls. These devices could allow for comprehensive objective monitoring of physiological and
7 behavioral data within amateur and elite sport, in the near future.
8
9

10
11 The sports technology and wearables industry has provided opportunity to collect an almost endless stream
12 of data regarding athlete health and performance; however, with the huge amount of data that can be
13 accessed and used, there are also issues that must be dealt with. For example, despite the popularity of novel
14 technologies and wearables, very few of these devices have been rigorously and independently examined
15 to determine their accuracy, reliability, validity (Johnston et al., 2019), and overall usefulness within sports
16 medicine and performance settings or populations (Wallen et al., 2016, MacDonald et al., 2017).
17
18
19
20

21 Many of these modern technologies still need to be tested for issues such as;

- 22
23 (1) Placement of wearable devices (i.e. anatomical locations or external to body)
24
25 (2) Reduction of movement artefacts
26
27 (3) Optimal sampling frequencies or algorithms to detect specific movements or activities
28
29 (4) Outcome variable reduction (i.e. a few sport-specific variables rather than a suite of meaningless
30 variables)
31
32 (5) Data security and transmission within a variety of environments (e.g. indoor/outdoor/underwater/built-
33 up etc.)
34
35 (6) Lack of external factor measurement (i.e. not measuring external influences on performance, such as
36 humidity, temperature, altitude etc.)
37
38 (7) Interference from other physiological contributors (e.g. sweat or hair influencing wearable device
39 placement, vasoconstriction etc.)
40
41
42
43

44 If athlete health and development is to be protected, there cannot be a reliance on clinical or training tools
45 that do not provide robust, useful or meaningful data. Therefore, it is important that we consider where,
46 how and what these modern approaches derive from our athletes. As such, appropriate, evidence-based
47 scientific approaches must be applied to the wealth of technological and wearable devices that are available
48 to sports medicine and performance professionals to improve athlete health and fitness.
49
50
51
52
53
54
55
56
57
58
59
60

Final Thoughts

We hope that papers within this focus collection will contribute a meaningful body of knowledge in the field of sports medicine and performance, and that they will motivate the development of future research within this area. Both sports medicine clinicians or other background staff, as well as researchers will find the articles within this focus collection useful for their clinical/professional decision making for the achievement of optimal athlete health and performance.

Acknowledgements

Samuel Stuart is supported in part by a Postdoctoral Fellowship (Grant No. PF-FBS-1898 from the Parkinson's Foundation). William Johnston and Brian Caulfield are supported in part by the Science Foundation of Ireland (12/RC/2289).

References

- BACA, A. & SCHWARTZ, B. 2016. Wearables and Apps--Modern Diagnostic Frameworks for Health Promotion through Sport. *Deutsche Zeitschrift für Sportmedizin*, 67.
- CHRISTOPHER, J. G., RACHEL, M. K., MICHAEL, H. & JAY, H. 2019. External ankle supports alter running biomechanics: a field-based study using wearable sensors. *Physiological Measurement*.
- CROSS, M., KEMP, S., SMITH, A., TREWARTHA, G. & STOKES, K. 2016. Professional Rugby Union players have a 60% greater risk of time loss injury after concussion: a 2-season prospective study of clinical outcomes. *British Journal of Sports Medicine*, 50, 926.
- DÜKING, P., HOTH, A., HOLMBERG, H.-C., FUSS, F. K. & SPERLICH, B. 2016. Comparison of non-invasive individual monitoring of the training and health of athletes with commercially available wearable technologies. *Frontiers in physiology*, 7, 71.
- FANTOZZI, S., GIOVANARDI, A., MAGALHAES, F. A., DI MICHELE, R., CORTESI, M. & GATTA, G. 2016. Assessment of three-dimensional joint kinematics of the upper limb during simulated swimming using wearable inertial-magnetic measurement units. *J Sports Sci*, 34, 1073-80.
- FINO, P. C., WILHELM, J., PARRINGTON, L., STUART, S., CHESNUTT, J. C. & KING, L. A. 2019. Inertial Sensors Reveal Subtle Motor Deficits When Walking With Horizontal Head Turns After Concussion. *J Head Trauma Rehabil*, 34, E74-e81.
- HOCKE, L. M., DUSZYNSKI, C. C., DEBERT, C. T., DLEIKAN, D. & DUNN, J. F. 2018. Reduced Functional Connectivity in Adults with Persistent Post-Concussion Symptoms: A Functional Near-Infrared Spectroscopy Study. *Journal of neurotrauma*, 35, 1224-1232.
- HOWELL, D., LUGADE, V., A., POTTER, M., N., WALKER, G. & WILSON, J., C. 2019. A multifaceted and clinically viable paradigm to quantify postural control impairments among adolescents with concussion. *Physiological Measurement*.
- JOHNSTON, W., COUGHLAN, G. F. & CAULFIELD, B. 2016. Challenging concussed athletes: the future of balance assessment in concussion. *QJM: An International Journal of Medicine*, 110, 779-783.
- JOHNSTON, W., DOHERTY, C., BÜTTNER, F. C. & CAULFIELD, B. 2017. Wearable sensing and mobile devices: the future of post-concussion monitoring? *Concussion (London, England)*, 2, CNC28-CNC28.
- JOHNSTON, W., O'REILLY, M., ARGENT, R. & CAULFIELD, B. 2019. Reliability, Validity and Utility of Inertial Sensor Systems for Postural Control Assessment in Sport Science and Medicine Applications: A Systematic Review. *Sports Medicine*, 49, 783-818.

- 1
2
3 JOHNSTON, W., O'REILLY, M., DUIGNAN, C., LISTON, M., MCLOUGHLIN, R., COUGHLAN, G. F. &
4 CAULFIELD, B. 2018. Association of Dynamic Balance With Sports-Related Concussion: A
5 Prospective Cohort Study. *The American Journal of Sports Medicine*, 47, 197-205.
- 6 MACDONALD, K., BAHR, R., BALTICH, J., WHITTAKER, J. L. & MEEUWISSE, W. H. 2017. Validation of an
7 inertial measurement unit for the measurement of jump count and height. *Physical Therapy in*
8 *Sport*, 25, 15-19.
- 9
10 MERTZ, L. 2013. Technology comes to the playing field: new world of sports promises fewer injuries,
11 better performance. *IEEE pulse*, 4, 12-17.
- 12 MOONEY, R., CORLEY, G., GODFREY, A., QUINLAN, L. R. & ÓLAIGHIN, G. 2015. Inertial Sensor Technology
13 for Elite Swimming Performance Analysis: A Systematic Review. *Sensors (Basel, Switzerland)*, 16,
14 18.
- 15 MURRAY, N. G., SZEKELY, B., MORAN, R., RYAN, G., POWELL, D., MUNKASY, B. A., BUCKLEY, T. A. &
16 GUSKIEWICZ, K. 2019. Concussion history associated with increased postural control deficits
17 after subsequent injury. *Physiological Measurement*, 40, 024001.
- 18 O'REILLY, M., CAULFIELD, B., WARD, T., JOHNSTON, W. & DOHERTY, C. 2018. Wearable Inertial Sensor
19 Systems for Lower Limb Exercise Detection and Evaluation: A Systematic Review. *Sports*
20 *Medicine*, 48, 1221-1246.
- 21
22 RAWASHDEH, S. A., RAFELDT, D. A. & UHL, T. L. 2016. Wearable IMU for Shoulder Injury Prevention in
23 Overhead Sports. *Sensors (Basel, Switzerland)*, 16, 1847.
- 24 SNEGIREVA, N., DERMAN, W., PATRICIOS, J. & WELMAN, K. E. 2018. Eye tracking technology in sports-
25 related concussion: a systematic review and meta-analysis. *Physiological Measurement*, 39,
26 12TR01.
- 27
28 STONEHAM, R., BARRY, G., SAXBY, L. & WILKINSON, M. 2019. Measurement error of 3D kinematic and
29 kinetic measures during overground endurance running in recreational runners between two
30 test sessions separated by 48 h. *Physiological Measurement*, 40, 024002.
- 31 STUART, S., HICKEY, A., MORRIS, R., O'DONOVAN, K. & GODFREY, A. 2017. Concussion in contact sport: A
32 challenging area to tackle. *Journal of sport and health science*, 6, 299-301.
- 33 STUART, S., O'SHAUGHNESSY, C., ARMSTRONG, M., BRENNAN, S., MARR, S., TURNELL, D. & MARSHALL,
34 S. J. 2018. Safety of pitch-side care provision in community contact sport within England.
35 *Physical Therapy in Sport*, 33, 18-20.
- 36
37 STUART, S., PARRINGTON, L., MARTINI, D., POPA, B., FINO, P. C. & KING, L. A. 2019. Validation of a
38 velocity-based algorithm to quantify saccades during walking and turning in mild traumatic brain
39 injury and healthy controls. *Physiological Measurement*.
- 40 THOMPSON, W. R. 2014. Worldwide survey of fitness trends for 2015: what's driving the market.
41 *ACSM's Health & Fitness Journal*, 18, 8-17.
- 42 THOMPSON, W. R. 2018. WORLDWIDE SURVEY OF FITNESS TRENDS FOR 2019. *ACSM's Health & Fitness*
43 *Journal*, 22, 10-17.
- 44
45 URBAN, K. J., BARLOW, K. M., JIMENEZ, J. J., GOODYEAR, B. G. & DUNN, J. F. 2015. Functional near-
46 infrared spectroscopy reveals reduced interhemispheric cortical communication after pediatric
47 concussion. *Journal of neurotrauma*, 32, 833-840.
- 48 WALLEN, M. P., GOMERSALL, S. R., KEATING, S. E., WISLØFF, U. & COOMBES, J. S. 2016. Accuracy of
49 heart rate watches: implications for weight management. *PloS one*, 11, e0154420.
- 50
51
52
53
54
55
56
57
58
59
60