Research Repository UCD

Title	Insights into CO2 simulations from the Irish Blackwater peatland using ECOSSE model
Authors(s)	Premrov, Alina, Wilson, David, Saunders, Matthew, Yeluripati, Jagadeesh, Renou-Wilson, Florence
Publication date	2020-05-08
Publication information	Premrov, Alina, David Wilson, Matthew Saunders, Jagadeesh Yeluripati, and Florence Renou-Wilson. "Insights into CO2 Simulations from the Irish Blackwater Peatland Using ECOSSE Model." Copernicus, 2020.
Conference details	The EGU General Assembly 2020, Vienna, Austria (events to be held online due to coronavirus outbreak), 4-8 May 2020
Publisher	Copernicus
Item record/more information	http://hdl.handle.net/10197/11812
Publisher's statement	This work is distributed under the Creative Commons Attribution 4.0 License.
Publisher's version (DOI)	10.5194/egusphere-egu2020-8090

Downloaded 2023-04-07T10:52:29Z

The UCD community has made this article openly available. Please share how this access benefits you. Your story matters! (@ucd_oa)

© Some rights reserved. For more information

Insights into CO₂ simulations from the Irish Blackwater peatland using ECOSSE model

Alina Premrov^{1,2}, David Wilson⁴, Matthew Saunders², Jagadeesh Yeluripati³, and Florence Renou-Wilson¹

¹School of Biology & Environmental Sciences, University College Dublin, Dublin, Ireland (premrova@ucd.ie)

²Botany Department, School of Natural Sciences, Trinity College Dublin, Dublin, Ireland

³Information and Computational Sciences, The James Hutton Institute, Aberdeen, Scotland, UK

⁴Earthy Matters Environmental Consultants, Donegal, Ireland

Abstract

Non-degraded peatlands are known to be important carbon sink; however, if they are exposed to anthropogenic changes they can act as carbon source. This study forms a part of the larger AUGER project (<http://www.ucd.ie/auger>). It uses the ECOSSE process-based model to predict CO₂ emissions [heterotrophic respiration (Rh)] associated with different peatland management (Smith et al., 2010). The work aims to provide preliminary insights into CO₂ modelling procedures for drained and rewetted sites from Blackwater, the former Irish raised bog. After drainage in 1950's (due to peat-extraction) and cessation of draining in 1999, the landscape developed drained 'Bare Peat' (BP), and rewetted 'Reeds' (R) and 'Sedges' (S) sites (Renou-Wilson et al., 2019). Modelling of CO₂ from these sites was done using ECOSSE-v.6.2b model ('site-specific' mode) with water-table (WT) module (Smith et al., 2010), and default peatland vegetation parameters. The other model-input parameters (including soil respiration, WT and other soil parameters) were obtained from measurements reported in Renou-Wilson et al. (2019). Simulations on drained BP site were run starting from 1950 and on rewetted R and S sites starting from 1999 (which is the year of cessation of drainage). The climate data inputs (2010-2017) were obtained from ICHEC (EPA_Climate-WRF, 2019). The long-term average climate data for model spin-up were obtained from Met Éireann (2012) with potential evapotranspiration estimated by Thornthwaite (1948) method. Daily ecosystem respiration (Reco) data for May/June 2011 to Aug 2011 obtained from raw CO₂ flux measurements (Renou-Wilson et al., 2019) were used. For vegetated sites Rh was estimated from Reco using method explained in Abdalla et al. (2014). Daily CO₂ simulations were compared to Reco for BP site ($r^2 = 0.20$) and to Rh for R site ($r^2 = 0.35$) and S site ($r^2 = 0.55$). The preliminary results showed some underestimation of simulated CO₂ indicating the need for further modelling refinements for satisfactory results. The results from BP site further indicated on the importance of including long-term drainage period (i.e. from 1950 on) because avoiding this step resulted in a large overestimation of predicted CO₂.

Acknowledgements

AUGER project is funded under the Irish EPA Research programme 2014-2020.

Literature

Abdalla, M., et al. 2014. Simulation of CO₂ and attribution analysis at six European peatland sites using the ECOSSE Model. *Water Air Soil Pollut* 225:2182.

EPA_Climate-WRF (2019). ERDDAPv.1.82. ICHEC.
https://erddap.ichec.ie/erddap/files/EPA_Climate/WRF/

Met Éireann. 2012. 30 year averages. Met Éireann - The Irish Meteorological Service, Ireland.

Renou-Wilson, F., et. al. 2019. Rewetting degraded peatlands for climate and biodiversity benefits: Results from two raised bogs. *Ecol. Eng.* 127:547-560.

Smith, J., et al. 2010. ECOSSE. User Manual.

Thorntwaite, C.W. 1948. An approach toward a rational classification of climate. *Geog. Review* 38, 55-94.