Research Repository UCD

Title	Women's accounts of heterosexual experiences in the context of menopause
Authors(s)	Hyde, Abbey, Nee, Jean, Butler, Michelle, Drennan, Jonathan, Howlett, Etaoine
Publication date	2011-09-08
Publication information	Hyde, Abbey, Jean Nee, Michelle Butler, Jonathan Drennan, and Etaoine Howlett. "Women's Accounts of Heterosexual Experiences in the Context of Menopause" 23, no. 3 (September 8, 2011).
Publisher	Taylor & Francis (Routledge)
Item record/more information	http://hdl.handle.net/10197/4183
Publisher's statement	This is an electronic version of an article published in International Journal of Sexual Health - Women's Accounts of Heterosexual Experiences in the Context of Menopause, Abbey Hyde, Jean Nee, Jonathan Drennan, Michelle Butler, Etaoine Howlett, International Journal of Sexual Health, Vol. 23, Iss. 3, 2011. International Journal of Sexual Health is available online at: www.tandfonline.com//doi/abs/10.1080/19317611.2011.586574
Publisher's version (DOI)	10.1080/19317611.2011.586574

Downloaded 2023-04-07T10:52:29Z

The UCD community has made this article openly available. Please share how this access benefits you. Your story matters! (@ucd_oa)

© Some rights reserved. For more information

WOMEN'S ACCOUNTS OF HETEROSEXUAL EXPERIENCES IN THE CONTEXT OF MENOPAUSE

Abbey Hyde¹, Jean Nee¹, Jonathan Drennan¹, Michelle Butler¹, Etaoine Howlett²

¹School of Nursing, Midwifery, and Health Systems, University College Dublin, Dublin, Ireland
²School of Sociology, University College Cork, Cork, Ireland

ABSTRACT. A number of biomedical models of female sexuality have emerged during the past few decades, and these have been challenged by feminist theorists who have tended to focus on the influence of contextual issues that mediate women's sexual experiences. In this article, a qualitative analysis of accounts relating to heterosexual experiences obtained from 25 menopausal women in Ireland through in-depth interviews is presented and considered in light of existing theoretical perspectives on sexuality. The average age of women in the sample was 54.2 years, and a diverse range of socioeconomic backgrounds was represented. We found that in describing their contemporary sexual experiences, contextual issues were brought heavily to bear as participants drew on discourses of personal history and biography, including previous relationships, to explain their current sexual experiences. However, a few women foregrounded physiological and biological reasons associated with hormonal changes to explain alterations in their sexual relationship, although overall, these were featured to a far lesser extent compared with their prominent position in biomedical menopause literature. A dominant feature of data was the influence of the discourse of the male sex drive, and many women explained their lesser interest in sexual activity compared with that of their partner in terms of men's nature. The findings suggested that for participants, anxiety around sexuality was socially produced either through the expectation to satisfy a partner, or by dominant discourses that defined sexual engagement as "healthy" and sexual apathy as "unhealthy."

KEYWORDS. Qualitative studies, reproductive health, women, menopause, adult sexuality

INTRODUCTION

At a broad level, two diverse genres of scholarship have emerged that attempted to understand sexuality, namely, the biomedical field of conventional sexology and the more recently emerging feminist sexology. The former is concerned with defining, through a range of genitally focused models, "normal" sexuality for men and women, while the latter dispenses with any notion of normality and instead advocates a constructionist approach that accommo-

dates a diverse range of sexual experiences. Our concern in this article was with analyzing the accounts of heterosexual experiences obtained through in-depth interviews with menopausal women and to consider data in light of existing theoretical perspectives. Following Jackson and Scott's (1996) definition of sexuality, by heterosexual experiences, we mean heterosexual participants' experiences pertaining to erotic desires, practices, and/or identities and to aspects of their personal and social life that had erotic relevance.

Received 29 September 2010; revised 1 May 2011; accepted 3 May 2011.

Address correspondence to Abbey Hyde, School of Nursing, Midwifery, and Health Systems, University College Dublin, Health Sciences Center, Belfield Campus, Belfield, Dublin, Ireland. E-mail: abbey.hyde@ucd.ie

The authors would like to thank the Women's Health Council for funding the study upon which this analysis is based. The views expressed in this report are those of the authors and do not necessarily reflect the views or policies of the sponsor, the Women's Health Council.

50 Data presented here formed part of a larger
study on women's experiences and understand-
ings of menopause in an Irish context, in which
39 women were interviewed; however, in view
of the focus here on heterosexual experiences,
55 we concentrated in this article on the accounts
of 25 participants who were either married or in
long-term heterosexual relationships at the time
of data gathering. Other aspects of the study
have been published elsewhere, including the
perspectives of lesbian women (Hyde, Nee,
60 Drennan, Butler, & Howlett, 2010a, 2010b,
in press).

Q2

Background

Biomedical orthodox sexology is rooted in
the modernist notion that there was such a thing
65 as "normal" sexuality and that the "truth" about
this can emerge through empirical science. Potts
(2002, p. 15) has defined scientific orthodox
sexology as follows:

70 ... a particularly powerful branch of sex-
ology, which, through its affiliation with
science and biomedical understandings of
the body and sexuality, has perhaps the
most authority or influence over what
counts [original emphasis]—what gets rec-
75 ognized and legitimized—as healthy and
normal sex... Through its explicit links to
a strictly scientific or biomedical paradigm,
this branch of sexology claims to know the
origins of normal and abnormal, healthy
and unhealthy sexuality, and develop ap-
80 propriate treatments or 'cures' for those
who may stray from the norm.

Several studies drawing on conventional meth-
ods of science have been conducted across sev-
85 eral decades that attempt to uncover this truth
about what constituted "normal" sexuality. The
focus of this genre of research is both biolog-
ical and heteronormative and focuses on the
vagina and penis and the associated physiolog-
90 ical responses that are supposed to ensue to
earn the definition of "healthy" sexuality. In re-
cent decades, these "normal" responses have
been measured through various phases. Masters
and Johnson (1966), for example, who ignited
95 the discourse of sexual phases, believed that all

healthy humans, both male and female, should
experience four phases, namely, excitement,
plateau, orgasmic, and resolution. This was the
conventional wisdom adopted by sex therapists
for decades in attempting to take those who
deviated from this belief. Next came Kaplan's
100 (1974) model, still endorsed by the American
Psychiatric Association (2000), that saw the cre-
ation of a new phase to define normality—a
"sexual desire" phase—so sexual desire disor-
ders, referred to by Kaplan as "hypoactive sex-
105 ual desire" (1977) and by her contemporary
Lief as "inhibited sexual desire" (1977), came
to be constructed around that phase. It did not
seem to matter that staggering proportions of
the women surveyed appeared to flop on tick-
ing this box of normality—the women were the
problem, so the model implicitly suggested, and
not the fundamentals of the model nor the no-
tion of attempting to rehabilitate whole pop-
110 ulations to fit any single model. The most re-
cent version of sexual function models that has
achieved worldwide notoriety (although still re-
mains outside of the official classification sys-
tem) is Basson's (2000) nonlinear model. This
version of normality proposes that the impera-
tive of the sexual desire phase as constructed
in Kaplan's (1974) model is out (for women
at least) and having sex for nonsexual reasons
is in. It must be noted that Basson did make
120 much of the social and contextual implications
of "sexual dysfunction." However, sexual iner-
tia or indifference remained problematic (see
Deer's [2003] report of his interview with Bas-
son) as the other phases must be accomplished.

All three models were recently put to the
test by sexual medicine researchers, Sand and
Fisher (2007), on a sample of middle-class U.S.
women who were asked to select just one of
three statements designed to best capture each
135 of the individual models (Masters & Johnson's
[1966] model, Kaplan's [1974] model, and
Basson's [2000] model). The results showed
that roughly equal proportions of women iden-
tified with each of the models. The researchers
140 noted that women with lower scores on the
Female Sexual Function Index (FSFI; Rosen
et al., 2000; which split the female population
into those who are sexually "healthy" and those

Q3

- 145 who are "unhealthy" depending on how they
performed on a rating scale that measures de-
sire, arousal, lubrication, orgasm, satisfaction,
and pain) were more likely to identify with the
Basson (2000) model. Incidentally, half of Sand
150 and Fisher's sample, selected from the wider
population, was found to be sexually dysfunc-
tional according to the FSFI. In addition, they
found that women who were in a sexual rela-
tionship with which they were dissatisfied were
155 also more likely to adopt the Basson (2000)
model. In spite of this diversity across the sam-
ple, the authors concluded that the search must
go on for the one true model to explain female
sexuality. Subsequent comparisons of women
160 split into categories of sexually functional and
dysfunctional have raised questions about this
dichotomy; based on findings from their study,
Brotto, Heiman, and Tolman (2009, p. 296)
Q4 noted that "women may respond negatively to
165 questionnaire definitions of desire . . . however,
they may speak about desire in a manner not
much different from women without sexual dif-
ficulties."
- In response to this biomedical construc-
170 tion of sexual normality emanating from within
orthodox sexology, feminist theorists, central
among them Leonore Tiefer (2001), began a
critical academic discourse exposing the het-
eronormativity, phallocentricity, and regulating
175 influence of biomedical sexology at a societal
level (Potts, 2002; Tiefer, 2001, 2010; Wood,
Bartholow Koch, & Kernoff Mansfield, 2006).
They shunned the notion of dictating sexual
normality and supported instead sexual plu-
180 ralism, equality, justice, and diversity. Moving
beyond the focus of "getting the penis hard
and the vagina wet" (Tiefer, 2001, p. 90), they
tended to position sexuality within cultural dis-
courses rather than in biological essentialism.
- 185 Their critical stance became more urgent in the
wake of the marketing of sildenafil (Viagra) as
a panacea to male sexual dysfunction and the
possibility that a similar fix for "female sexual
dysfunction" was in the pipeline. In an effort
190 to demedicalize sexuality and view it instead in
cultural context, Tiefer and her colleagues de-
veloped an alternative classification of women's
sexual "problems" as a corrective to the med-
icalized version of sexual "dysfunctions." This
classification system, known as "A New View
195 of Women's Sexual Problems," was written in a
highly accessible language and was based on a
psycho-bio-social model (Tiefer, 2001). A re-
cent empirical test of the "New View" in a
British context broadly indicated support for it,
200 with relational and contextual issues account-
ing for most women in the sample's sexual dif-
ficulties (Nicholls, 2008). Importantly, the New
View accounts for possible reasons for women's
sexual problems without prescribing any notion
205 of what counts as normal.
- If we turn now to sexuality scholarship
relating to women at menopause and post-
menopause, the theoretical fissures are just as
apparent, if not more so, given the prepon-
210 derance of sexually "dysfunctional" women in
the older age group if biomedical measures
are used (see Sand & Fisher, 2007). Biomed-
ical sexology literature is replete with biologi-
cal detail about falling hormones, vaginal dry-
215 ness, and sexual dysfunction generated by con-
ventional quantitative research strategies. By
contrast, social science accounts generated by
feminist social scientists invoking mainly qual-
itative methodologies focus on sociocultural is-
220 sues that mediate women's sexual experiences;
this literature points out that women manage to
alleviate dry vaginas easily enough when they
want to (Dillaway, 2005), but the real issues
rested in the wider context and sexual relation-
225 ship rather than in the vagina (see Winterich,
2003). These accounts elucidated the influence
of culture, stigma about aging, and negative
attitudes and expectations (see, for example,
230 Bell, 1990; Mansfield, Koch, & Voda, 1998;
Mansfield, Voda, & Koch, 1995; Olofsson &
Collins, 2000).
- Perhaps to highlight sexual diversity and to
problematize the historically overbearing em-
235 phasis in the biomedical literature about flag-
ging sexual desire and physiological effects such
as vaginal dryness caused by dwindling hor-
mone levels at menopause (see Murtagh &
Hepworth, 2003), some feminist literature has
240 drawn special attention to reports of sexual sat-
isfaction among women at midlife and later in
life (Dillaway, 2005) and of women's rejection

of the asexual discourse of aging (Hinchliff & Gott, 2008). For example, Dillaway (p. 407) noted that contrary to the characterization of menopause as embodying the end of sexual desire, many of the women in her research reported feeling "sexier" and more "womanly" than before. However, other research has found that women's narratives about sexual experiences at midlife and beyond are complex, as women tend to invoke contradictory discourses of both sexual agency and sexual submission (Hinchliff & Gott; Meadows, 1997). Wood, Kernoff Mansfield, and Bartholow Koch's (2007) study of postmenopausal women's ability to act on their sexual needs, desires, and wishes found that although some women attempted to discuss their concerns with their partners, most did not. For Wood et al. (2007), this was a reflection of the wider cultural messages that women received, which established their role as subordinate to that of their male counterparts in sexual activity. In fact, these researchers found little evidence that these women were active negotiators of their own sexual agency as their "sexual social scripts" privileged men's sexual needs and desires over their own sexual pleasure. In effect, a "discourse of desire" was missing from their accounts of their sexual experiences (Wood et al., 2007, p. 196).

The aim of this article was to present a qualitative analysis of the accounts of a sample of menopausal women about their heterosexual experiences imparted by in-depth interviews, and to consider these data in relation to existing theoretical perspectives on sexuality.

METHOD

Ethical approval for the study was processed via the Human Research Ethics Committee at the university where the research was conducted. Recruitment entailed drawing a purposive sample of women's organizations, composed of middle-aged women from rural and urban areas of Ireland, from a list of associations affiliated with the National Women's

Council. In identifying which organizations to contact, the nature of each organization's work was considered to attract women with diverse life experiences and a range of socioeconomic groups to the study. The first contact with the women's organizations was by an e-mail letter; simultaneously, a duplicate letter was posted by regular mail. The letters outlined the aim of the study—namely, to describe and analyze women's experiences and understandings of menopause—and emphasized that diverse menopause experiences, ranging from unproblematic to difficult, were being sought. Several days after the letters were sent, a follow-up telephone call was made to each organization. The telephone call was a critical element in the recruitment procedure as establishing a good rapport with the coordinator had a positive influence on the efforts made to convey the study information to women associated with the organization.

Purposive sampling produced 23 participants from 8 of the 23 organizations contacted; this response rate might be deemed to be small by the standards of quantitative research but is consistent with recruitment outcomes in qualitative research. Snowball sampling was also used; recruited participants were requested to identify other women who might be suitable for the study. Twelve participants resulted from snowball sampling. In addition, 1 participant was recruited from the Women's Health Council, and 3 women were selected from a traveler organization (travelers are a nomadic Irish ethnic minority group). Participants' ages ranged from 42 to 63 years, with a mean age of 53.5 years. In terms of socioeconomic group, 18 women were middle-class professionals, 18 were of the working class, and 3 women were from the traveler community. The participants were nearly equally divided in regard to rural or urban status. Of the 39 participants recruited overall, 8 were lesbian and 31 were heterosexual. Among the 31 heterosexual women, 6 were single (3 had never married and 3 had been previously married but were currently unpartnered), while the remaining 25 were in a heterosexual relationship for at least 9 years. It is the latter subgroup that is the focus of this

article. (For this subgroup, the mean age was 54.2 years and the age range was 42 to 63 years). Inclusion criteria for the study were that women identify themselves as either currently menopausal or having finished menopause no more than 1 year prior to the study, irrespective of whether or not they had sought help for particular symptoms.

The data were collected in 2007 using individual semistructured interviews and one focus group consisting of three participants. The focus group arose because the traveler participants requested a group interview, and it was deemed preferable to accommodate the needs of this minority ethnic group rather than exclude them from the study. It was noted by those on the research team that traveler women were not as forthcoming as many of the other participants in discussing issues relating to sexuality, and this may have been a feature of the data-gathering technique as much as a cultural difference. All interviews, both individual and focus group, were guided by a loosely structured topic guide that was based on triggers for discussion as follows:

- how women felt approaching menopause, how they determined whether or not they were actually going through menopause, and their use of health services;
- women's experiences during menopause—symptoms and their management, effects on general well-being, use of health or other support services, etc.;
- symptom management—sources of advice and information consulted (if any) relating to symptoms, women's "ideal picture" of what services should be available;
- impact of menopause on women's lives—how menopause affected women's lives generally, in particular its effect on their roles around caring for their families, children, older parents, etc.;
- positive aspects—whether menopause had any positive impact on women's health and well-being, or on their lives generally; and
- impact on sexuality, body image—women's perceptions of their sexuality and sexual relationships.

The interviews were conducted by either the principal investigator (A.H.) or a key member of the research team (J.N.), both with extensive experience in social science research. The location of the interviews varied and included participants' homes, a room in an organization, a hotel lobby, and the researcher's office. The interviews were audio-recorded, with the permission of the participants, and later transcribed; on average, the interviews lasted 50 minutes.

Data analysis was ongoing from the first interviews and continued throughout the data collection process. Data were organized into conceptual themes using the "thematic networks" analytical technique (Attride-Stirling, 2001), a qualitative approach to analysis, which draws on the work of earlier researchers including Toulmin's (1958) argumentation theory and Glaser and Strauss's (1967) grounded theory. Thematic networks technique entails several analytic steps that include identifying basic lower-order themes, developing abstract organizing themes, and incorporating the basic theses into macro themes. The NVivo software package provided a means of organizing the large quantity of data and facilitated an empirically based descriptive level of analysis; however, as the analysis progressed, a more conceptual analysis was conducted to relate the data to existing theory in the field. All members of the research team were involved in the analysis, with some taking the lead in focusing more closely on specific themes that were of particular interest to them. The interpretation of data was discussed by team members so that an understanding of the issues evolved through constructive dialogue and debate rather than by "rating" data as occurs in quantitative research. In this sense, a "clash" in interpretations did not arise in the course of the analysis, but rather individual initial perspectives about how data might best be explained became more sophisticated in light of alternative explanations and theoretical perspectives.

Qualitative studies of this type are limited in that they do not claim to be representative of a wider population, because instead of random selection, participants volunteered to participate.

390

395

400

405 Q5

410 Q6

415

420

425

430

FINDINGS

435 For conceptual purposes, we present
women's accounts of heterosexual experiences
in the context of menopause in relation to three
themes, namely: discourses of biography; the
biomedical discourse; and discourses of and
440 discrepancies in sexual desire.

Discourses of Biography

In narrating experiences of their sexual relations, some participants invoked discourses of biography, in which the history and context of their lives and both past and current relationships were foregrounded to account for the status of their current sexual relationship. Even though participants were well aware that the focus of the study was menopause, a number commented that so many contextual issues cross-cut that it was difficult to disentangle the various complexities in their lives and isolate any one such as menopause to account for their sexual experiences. One participant described this as follows:

455 D'you know, there are so many things going on, that I don't even know if it's just menopause, or even menopause that's affected things... yeah, sex... it's the last thing on my mind what with Mam (mother) being sick, and talk of [husband's] father going into [hospital], and me not sleeping, and me worrying about [daughter's] friends. (Sinead, aged 47 years)

465 While some reported little or no change in their sexual relations since menopause began, many others did. Those who reported deterioration in their sexual relations often indicated that such difficulties had begun to arise in the years prior to defining themselves as menopausal. Participants often set descriptions of their current sexual relationship in the context of their joint life course as a couple and the chronology of emotional engagement and commitment they experienced. Changes in their sexual relationship from the start of the relationship were also accounted for by virtue of biographical events or processes (such as stresses, childcare demands, illnesses, and menopause). One might expect

that the younger women (in their 40s) would report more pleasurable sexual experiences than older women, given that those in their late 50s and early 60s grew up in a time of greater sexual repression for women, but this was not the case. 480 485

The account of Patrice, a 51-year-old working-class woman, exemplified many of the points made above, and especially the biographical influence on how she constructed her sexual relationship. Patrice recounted earlier in her narrative how she had experienced sexual abuse as a child and more recently had to cope with her daughter's drug addiction. In explaining the status of her current sexual relationship, she drew on her past life experiences and especially life stresses and also on the emotional trajectory of her relationship. 490 495

Interviewer: Has the menopause affected your sexual relationship? Our relationship was put through horrible strain; between stress and the menopause, our sex life was nonexistent for years, and no other guy on the planet would have put up with me, it is that simple, but [partner] is a gentle giant and he has been my rock. The menopause, the addiction (her daughter is a heroin addict), the stress, all the trouble that addiction brings to your door, the accumulation of the lot, you couldn't separate one from the other because it was all going on at the same time. Plus my own counseling [as a sexual abuse survivor], I went through a phase where men disgusted me: 'Get away from me!' because of my own history, and I was bringing that up and dealing with it. But we worked through all of that, and we still walk down the street holding hands together, and we just spent 5 days down in [location] laughing our heads off, that is what we do when we get together. We started to take time out where [husband] and I have a date; now a date might just consist of walking down the canal holding hands together because there is no money to do anything else... We got back our closeness, we wouldn't be swinging out of the chandeliers a couple of times a week, but it is there, the affection, the closeness, the gentleness, the hugs, and that is what leads 500 505 510 515 520 525

530 to making love because a lot of relationships
are starved of affection, but when we make
love it is satisfying for both of us. It is not
as often as he (partner) would like to, but it
is definitely not as bad as it was years ago
535 when there was just a major drought on for
a long time. (Patrice, aged 51 years)

Although the question to which Patrice was re-
sponding made direct reference to her sexual
relationship, there was no reference at all to
540 the functional dimensions of sex in her narra-
tive, and very little to genital sexual activity as
she foregrounded what she identified as impor-
tant in the relationship.

Similarly, if we consider the narrative of Jac-
545 inta, a 54-year-old working-class woman, the
current status of her sexual relationship was
contextualized within her life history, even prior
to her current relationship. Jacinta described
having left a lengthy abusive marriage with five
550 children, following which she attended courses
that facilitated her to build up her self-esteem
and enable her to appreciate her own body.
Then, at the age of 41, she began a relation-
ship with her current partner, with whom, she
555 revealed, she has enjoyed a loving and a satis-
fying sexual relationship for the past 12 years.
Jacinta invoked discourses of biography and the
psychosocial transitions in her life, as well as her
emotional attachment to her partner to con-
560 struct the status of her current sexual relation-
ship and experiences:

I love him, I do, yes, definitely I would
say that... I would have to say that my
sex life since I got older got better more
565 so than when I was younger because you
have lots of ideas in your head when you
are younger, through school I suppose,
shame and Catholic and all that stuff. But
I have a better sex life now actually... I
570 grew more and I have to say I did an awful
lot of work on myself after so many years of
being separated... I have to say I never en-
joyed sex when I was young. I don't think I
even liked my own body when I was young.
575 Interviewer: Was it to please somebody
else?
Yes, that is what it was, I mean I just lay
on my back and that was it, I didn't even

know what it (sex) was to be honest... I
would enjoy it I would say 90% of the time
580 now. ... I am very comfortable with my
own body now.

Interviewer: Have you had any of the phys-
ical things like vaginal dryness?
585 I go for treatment. I get something in the
shops for that. (Jacinta, aged 54 years)

It is noteworthy that biomedical discourses on
sexuality did not feature at all in this part of
her narrative, yet on prompting from the inter-
viewer, it transpired that she also suffered from
590 vaginal dryness for which she had sought out a
remedy; however, the condition of her vagina
was not at all a dominant part of her narrative.

This contextualizing of their sexual relations
in biographical context was a strong feature of
595 data, but there were a few narratives where
biomedical discourses dominated as partici-
pants made sense of their sexual experiences.
It is to these that we now turn.

The Biomedical Discourse 600

Although virtually all women accounted for
the status of their sexual experiences with refer-
ence to their relationship and its trajectory, or to
broader psychosocial issues, many women also
drew on biomedical discourses on menopause
605 to varying degrees to account for their cur-
rent sexual experiences. The genitally focused
"vaginal dryness" was reported by many par-
ticipants, although compared with its dominant
position in explaining female sexual problems
at menopause within biomedical scholarship,
it occupied a relatively marginal position in
most participants' narratives. Nonetheless, for
a very small number of women, vaginal dry-
ness was dominant in their recounting of what
615 they deemed to be sexual difficulties and which
they believed impacted on their sexual plea-
sure. However, participants seemed to be well
aware of remedies for this and sought them out,
although a few women reported that it contin-
ued to affect them. Even these women tended
to explain their vaginal problems with reference
to their relationship history, which was often
presented in a positive light (for example, "We
always had a good sex life"). 625

Biomedical discourses and the lexicon of diminished hormones were also invoked heavily by a few women in explaining what they reported to be diminished sexual desire. (This biomedical perspective purports that hormone levels are strong determinants of women's sexual desire and pleasure, and because menopause spells the demise of the body's production of estrogen and progesterone and the end of ovarian function, women's interest in sex fades [see Wood et al., 2007]). Two examples from the data will illustrate the manner in which women invoked this discourse. The first was the case of a 57-year-old woman who reported an energetic sexual relationship with a partner with whom she began a relationship at the age of 45. She described experiencing menopausal bodily changes at the age of 53, and these included a complete lack of interest in sexual activity in contrast to her enthusiasm for sex prior to that. When she began taking hormone therapy, she described her sexual interest as having come "back to normal" and attributed this to a rebalancing of her hormones:

650 And I wouldn't be as much in the humor
[for sex] as what I would be.
Interviewer: And you find yourself going off
sex a bit, did you?
There is no way I would have initiated it, I
655 just couldn't.
Interviewer: And before that, would you
have?
Oh yes. But I mean he (partner) used to
joke and say, 'Oh, give me a break—I have
a headache!' joking-like.
660 Interviewer: And then you found then (in-
terrupts)
I could no more care about sex than the
cat!
665 Interviewer: And after you started the HRT
(hormone replacement therapy)?
Grand, normal.
Interviewer: It did come back again?
Yes, not a bother; it was just as if [pause]
670 before had the menopause. (Kitty, aged
57 years)

The second example is the case of a participant who reported having become menopausal immediately after the birth of her first child at the

age of 41 and who subsequently reverted to a nonmenopausal state (according to a biomedical definition of menopause) spontaneously on two occasions subsequently, a most unusual case, but one which she described as having been verified by laboratory tests on each occasion;¹ this woman was under the care of a professor of obstetrics and gynecology, and she defined herself as menopausal at the time of the interview. In the following extract, she described the oscillating feature of her sexual interest as she moved in and out of menopause.

Oh, that (sexual interest) goes down the toilet, any libido you ever had in your life is gone. I don't know where it goes but within a week or 2 [of being back in the menopause] it is just gone . . . Well it (interest in sex) goes from none to a complete high, you know, when your periods come back (out of menopause). You go completely mad for 2 or 3 weeks and my husband is looking at this monster! . . . Oh yes, you go back to normal . . . But when you haven't got a period and you are back in the menopause, everything seems to die, your energy levels go, your libido goes. (Maryanne, aged 47 years)

While the examples given under this theme have focused on the accounts of participants who emphasized biomedical discourses of menopause in explaining their sexual experiences, many other women spoke of issues around sexual desire in a variety of ways; it is to these that we now turn.

Discourses of and Discrepancies in Sexual Desire

A dominant theme in participants' narratives, irrespective of whether they accounted for their sexual experiences in positive or negative ways, was the discourse of the male sex drive (Hollway, (1996). The underlying

¹Although we use the term "verified," we acknowledge Roger's (1997, p. 232) contention that "it is not possible to determine menopause with absolute certainty," even with amenorrhea (no periods) and hormonal changes for the reason that "none of these changes are diagnostic in themselves."

- assumption from many women's accounts was the belief that men had a biological urge to engage in sexual activity more so than did women. Participants commented on this in broad terms as to how they believed men in general to be and in terms of their own personal experiences of their sexual relationship, while conveying the view that their partners were more interested in sexual activity than they themselves were. Participants reported that their partners always, or almost always, initiated sexual activity, although there were exceptions; these exceptions tended to occur where the male partner was deemed to suffer from depression or a mental illness, or where neither partner had much interest in sexual activity.
- Women tended to inculcate a range of factors for their curtailed sexual engagement, particularly their diminished energy levels, tiredness, or chronic fatigue, and the precedence they placed on other issues over and above sexual activity. A strong perspective across the sample was a belief among participants that men spent more time thinking about, planning, and prioritizing sexual activity, while women became caught up with day-to-day issues such as the running of the home and the welfare of those in it. A few women talked about how going for weekend breaks away from their usual responsibilities was a good way of sustaining their sexual relationship. One woman, who reported having a good sexual relationship with her husband, indicated that she suspected that when organizing a weekend away, her husband would have viewed going away as an opportunity for sexual activity, whereas she would be anticipating the pleasures of the local scenery or the opportunity to go shopping.
- Nonetheless, many women spoke very warmly about their partners and often referred to them as being "very good" and "very understanding" about their own lesser interest in sexual activity. Participants also often commented that because they were good husbands/partners, withholding consent to sexual activity was unfair to them, because they could not help their sex drive. In this context, several women reported that they felt guilty about not agreeing to sexual activity.
- We have always had a very good sex life, my husband and I, a very, very good sex life, never really had problems there. . . . We are great, best of friends, he is so good. . . . but there [have] been a couple of times where I wouldn't want [to have sex] but he was understanding. But he still didn't understand what was wrong with me. It was only after that I realized, I said, 'I was in the changing (the menopause),' he didn't realize that at all. . . . I'd feel guilty, very guilty. Interviewer: Did it cause tension at all? No, I have to say he was very, very understanding, but I always felt guilty about it now. (Cassie, aged 63 years)
- And I suppose if a man has very strong feelings that way still, it's kind of hard for him. . . . So you're always feeling slightly guilty, which is ridiculous really, isn't it? (Breeda, aged 44 years)
- Sometimes, you know, you lose interest yourself and then you sort of think, 'It is not fair on him.' Sometimes I feel a bit guilty. (Fiona, aged 57 years)
- You'd feel guilty when it doesn't happen. . . . but I have to be in the mood. . . . (Neil, aged 50 years)
- For many participants, sexual activity tended to be construed more in terms of a planned effort in contrast to the manner in which it is presented as spontaneous and vigorous in popular culture.
- Interviewer: Did you get the sex life back (following traumatic events)?
- I think you make an effort to do. (Patrice, aged 51 years)
- . . . you are not in the mood and you can't just. . . . but I suppose it is just making an effort really. (Neil, aged 50 years)
- We do try and keep it going, you have to really, it's important not to get too lazy (laughs). (Christina, aged 55 years)
- Participants were far more likely to invoke the discourse of sexual activity as labor that needed to be worked at rather than sexual activity as a spontaneous biological urge that needed to be

controlled. Even those who reported having a good sexual relationship conveyed this notion.

In spite of the reported sexual apathy among many women relative to the sexual appetite of their partners, a number of those who reported having little or no interest in initiating sexual activity or no desire for it prior to the sexual intimacy beginning stated that they often enjoyed the sexual activity "once [they] got going."

Your husband is a man and maybe he might want it a bit more often, not that he is a demanding person, but you mightn't mentally feel like it, but actually when you get into it ... I don't have a problem then, when I get going ... I would, and then I would actually enjoy it, that is the awful sad ... my head and my body are different. In my head, I think, 'Do I really want it?' and yet when I get going and we get into it and involved in it, I actually enjoy it. I don't know whether that is to do with age or laziness or your brain works different to a man's, I'm not really certain. (Jenny, aged 57 years)

I'd find that I'm never in the mood for sex in that I wouldn't make the first move, but sometimes once I start I'm OK. (Delia, aged 57 years)

But there is no way I would have initiated it, I just couldn't. I just couldn't have cared less, I'd rather have just sat and watched the telly ... as I say, once I got going, I was grand. (Kitty, aged 57 years)

Dominant discourses about the significance of sexual activity to a "healthy" relationship were also brought to bear in participants' accounts and appeared to have an unsettling and anxiety-creating impact on them.

And you keep thinking that you got to be in a sexual relationship, because it's very important, as well, for both. (Breedia, aged 44 years)

You do try and keep things going (context of a discussion about sex) ... I suppose it's important for the marriage really.

Interviewer: Is it important for you?

To be honest, no, not really. But you know the way people say that you need a healthy sexual relationship, and I'd be terrified to lose that, you know closeness or whatever. (Joyce, aged 60 years)

Interviewer: Would you like to have more sexual energy?
For him, yeah; for myself, I couldn't care less. I think it is the age as well, you wouldn't have the same energy. (Brona, aged 51 years)

Several participants recounted tensions that arose in view of discrepancies between their level of interest in sexual activity and that of their partner. In the following example, the participant described the relationship as very strong and amicable, but an unequal appetite for sexual activity sometimes caused tension between the couple. In the following quotation, she expressed her mixed feelings about the situation. She perceived her husband to be a fair-minded person yet a man with biological sexual needs greater than her biological sexual needs; she was uneasy about servicing him sexually simply because she was a wife.

Yeah, I don't have quite as much interest in sex as I did. Definitely. No doubt about it. And he does. It's very hard. This is why brothels existed in the past, because women don't and men do. ... So it's definitely, the tension there, and I'd be feeling, you start feeling like you're being hassled, when you know you're not really ... And I was thinking to myself, 'Is it only because we're married that he feels he has these rights?' And he's not that kind of a person. He's actually really not that sort of a person. He wouldn't be saying he has to ... but you definitely feel it. ... You know that ... old, that you're supposed to fulfill the wishes of your husband. (Breedia, aged 44 years)

Participant narratives suggested that tensions arising from requests for sexual activity from male partners often remained implicit rather than explicit. In the following example, the male partner was purported to have used humor in the process of trying to establish whether sexual activity was likely to happen; according to the

participant, he was aware of the boundaries as to how far to push things.

910 Well, no, we never had a big row or anything about it, but he used to make [these] remarks when I'd go off [sex] ... like he is [in another county], like he'd ring and he'd say, 'Are you coming across?' and I'd go, 'I don't know,' and 'Will it not be worth anyone's while? (mimics a playful voice),' he said. But sometimes you'd know by him, he'd be saying, 'God, I better not push it or she'll take the head off me,' because like that, I got a bit short tempered with little things that normally wouldn't have bothered me. (Kitty, aged 57 years)

925 For the following participant, the unequal sexual desire occasionally spilled over into arguments between her and her husband, and appeared to cause her to question whether her sexual reluctance was "normal."

930 Yeah. I think for the man it's more important ... you know, [there would] be often rows because I turned the other way or ... you know that way?
Interviewer: How did you feel about that? There's something wrong with me or ... you know that way? ... It's just ... I think he'd like me to be more forward ...
935 Interviewer: Would that change his mood? He'd say he wouldn't, but to me, eh, bad humor-like. (Eileen, aged 61 years)

940 A few women stated that while they enjoyed being cuddled by their partners, they were nervous that any approach to embrace their partner would result in the latter's sexual arousal and put sexual activity on the agenda, along with its associated tension.

DISCUSSION AND CONCLUSION

945 In addressing the research question for this study, namely, how the sexual aspects of heterosexual relationships are experienced by a sample of menopausal women, we found that women drew on a diverse range of discourses in describing their sexual relationships. In some instances, biographical experiences and rela-

955 tionship histories were foregrounded, while in others, biomedical rationales were dominant in explaining the current status of the sexual relationship. Furthermore, irrespective of how women accounted for their sexual relationships, a strong theme cross-cutting their accounts was the discourse of the male sex drive, with men positioned as more sexually interested and motivated than women. This apparent discrepancy in sexual appetites was perceived by many participants as a source of tension and guilt. Moreover, in some narratives, the influence of popular discourses that laud the importance of sexual activity for a healthy relationship appeared to create misgivings among women and shaped their assessment of their sexual relationships. 960 965

So how do these data rest with current ways of conceptualizing sexuality for women? If we consider data in relation to the biomedical sexology models that focus on the genitals, the overall picture emerging is that genitally focused, biologically based sexual problems such as vaginal dryness, often cited as a key impact of menopause on sexuality in biomedical literature, did feature in data, but relative to the wider contextual issues creating sexual qualms, it was a dominant issue in only a minority of cases. Where it was an issue, as was found in Dillaway's (2005) study, women indicated that they sought remedies to palliate it. Nonetheless, a small number of women foregrounded biomedical discourses and singled out hormonal issues around menopause primarily to account for the status of their sexual relationship. Furthermore, our data do support some aspects of Basson's "phases" approach. Although we reject the biomedical assumption that "normal" sexuality can be defined for either menopausal or postmenopausal women, the experiences described by many women in our study lend some support to Basson's (2001a, 2001b) notion that reasons other than sexual desire often motivate women to engage in sexual activity. Consistent with Basson's (2001a) notion of responsive sexual desire (sexual desire emerging after arousal) and with findings from Brotto et al.'s study (2009), a number of women in our study reported experiencing sexual pleasure after the sexual activity began, 970 975 980 985 990 995

1000 albeit not necessarily being in the mood for such
activity at the outset. Our findings also support
those of Wood et al. (2006), whose feminist
empirical research into middle-aged and older
1005 women's constructions of sexual desire indi-
cated that they did not tend to view desire as a
spontaneous physical urge or a feeling of being
"turned on," but rather in terms of a willingness
to engage in sexual activity that did not nec-
essarily include physical signals (Wood et al.,
1010 2006, p. 237).

If we consider data with reference to
the "New View" of woman's sexual problems
(Tiefer, 2001), we see that where sexual diffi-
culties were voiced by study participants, many
1015 referred to the demands of family and other
commitments as captured in the New View en-
try, *i D Lack of interest, fatigue, or lack of time
due to family and work obligations*. In addition,
women's accounts tallied with the entry *ii B Dis-*
1020 *crepancies for desire for sexual activity or in pref-*
erences for various sexual activities. Consistent
with New View thinking, our analysis supports
the notion that women are not a unitary group,
and where women identified sexual problems
1025 in themselves, these were often far from being
solely rooted in genital and physical difficulties.
Wider contextual issues that affected women
related not just to the context of their present re-
sponsibilities and relationships but also to their
1030 life-course biographical experiences.

Many participants in our study, to some de-
gree at least, voiced a level of tension in re-
lation to their sexual relationships, or at least
constructed sexual activity as involving effort,
1035 labor, or tension. While this might suggest sup-
port for Sand and Fisher's (2007) contention
that the Basson (2000) model is more appli-
cable to postmenopausal women and those
with sexual concerns, the issue is more com-
plex than this. Much of the unease that women
1040 had with their sexual relationships was socially
produced anxiety emanating from discourses
about how men need sexual activity and the
importance of sexual activity to a healthy rela-
tionship. As was found in Wood et al.'s study
1045 (2007, p. 196), where there was little evi-
dence that women were active negotiators of
their own sexual agency as their "sexual social

scripts" privileged men's sexual needs and de-
sires over their own sexual pleasure, women
1050 in our study similarly rarely spoke of their
own sexual desires. We would add that many
of the narratives in our study also signal that
men's sexual needs and desires also took prece-
dence over women's preference to avoid sexual
1055 activity.

Many participants reported having experi-
enced a discrepancy between their own need
for sexual activity and that of their partner.
The absence of a positive discourse of rela-
1060 tive sexual apathy appeared to problematize
some women's sexual identity. Thus, their in-
difference to sexual activity where this was ex-
perienced was not presented as an intrinsic
problem for them but rather was defined as
1065 a problem in relation to what they understood
to be "good" and "healthy" according to expert
opinion on sexuality and relationships. There
was little evidence that women, for their own
sakes, craved more sexual activity; rather, sex-
1070 ual tensions tended to be tied up with fulfilling
the needs of partners and with nurturing the re-
lationship. This suggests the social production of
anxiety around sexuality where dissatisfaction
was constructed either through the expectation
1075 to satisfy a partner, or by dominant discourses
that define sexual engagement as "healthy" and
sexual apathy as "unhealthy." A further issue
revealed in our data is that women did not
tend to account for sexual tension as an out-
1080 come of a poor-quality relationship; indeed, in
most cases, participants described warm, pos-
itive, and stable relationships but with tension
introduced by unequal sexual appetites. It is
important, thus, for future researchers to distin-
1085 guish between women's assessment of the qual-
ity of their relationship overall and the quality
of their sexual relationship. How to resolve the
dilemma of achieving a satisfactory sexual re-
lationship, where partners have different prefer-
1090 ences for sexual activity, is difficult, especially
in the context of women's disadvantaged power
position in society vis-à-vis men, without revert-
ing to a situation where women end up agreeing
to sexual activity to please their male partners.
1095

To accommodate a range of sexual re-
sponses and the full spectrum of diversity in

sexuality, we propose that sexual desire is not privileged over diminished or lack of desire in addressing the problems of discrepancy. This poststructural stance marks a shift away from conventional second-wave feminist attempts to challenge the notion of female sexual "passivity" by invoking all sorts of social reasons to explain women's apparent reduced interest in sexual activity compared with that of men, notwithstanding individual differences. This would accommodate those women who are not particularly interested in sexual activity without forcing them to search for either biological or social reasons to account for their sexual indifference.

REFERENCES

- American Psychiatric Association. (2000). *Diagnostic and statistical manual for mental disorders* (4th ed., text rev.). Washington, DC: Author.
- Attride-Stirling, J. (2001). Thematic networks: An analytic tool for qualitative research. *Qualitative Research*, 1(3), 385–405.
- Basson, R. (2000). The female sexual response: A different model. *Journal of Sex and Marital Therapy*, 26, 51–65.
- Basson, R. (2001a). Human sex response cycles. *Journal of Sex and Marital Therapy*, 27, 33–43.
- Basson, R. (2001b). Using a different model for female sexual response to address women's problematic sexual desire. *Journal of Sex and Marital Therapy*, 27, 395–403.
- Bell, S. (1990). The medicalization of menopause. In R. Formanek (Ed.), *The meanings of menopause* (pp. 43–65). Hillsdale, NJ: Analytic.
- Brotto, L. A., Heiman, J. R., & Tolman, D. L. (2009). Narratives of desire in midage women with and without arousal difficulties. *Journal of Sex Research*, 46(5), 387–398.
- Deer, B. (2003, September 28). Love sickness. *The Sunday Times Magazine*.
- Dillaway, H. (2005). Menopause is the 'good old': Women's thoughts about reproductive aging. *Gender and Society*, 19(3), 398–417.
- Hinchliff, S., & Gott, M. (2008). *Journal of Women & Aging*, 20(1/2), 65–81.
- Hollway, W. (1996 [1984]). Gender differences and the production of subjectivity. In S. Jackson & S. Scott (Eds.), *Feminism and sexuality: A reader* (pp. 84–100). Edinburgh, Scotland, United Kingdom: Edinburgh University Press.
- Hyde, A., Nee, J., Drennan, J., Butler, M., & Howlett, E. (2010a). Hormone therapy and the medical encounter: A qualitative analysis of women's experiences. *Menopause: Journal of the North American Menopause Society*, 17(2), 344–350.
- Hyde, A., Nee, J., Drennan, J., Butler, M., & Howlett, E. (2010b). Menopause narratives: The interplay of women's embodied experiences with biomedical discourses. *Qualitative Health Research*, 20(6), 805–815.
- Hyde, A., Nee, J., Drennan, J., Butler, M., & Howlett, E. (in press). The ending of menstruation: Perspectives and experiences of lesbian and heterosexual women at menopause. *Journal of Women & Aging*.
- Jackson, S., & Scott, S. (1996). Sexual skirmishes and feminist factions: Twenty-five years of debate on women and sexuality. In S. Jackson & S. Scott (Eds.), *Feminism and sexuality: A reader* (pp. 1–31). Edinburgh, Scotland, United Kingdom: Edinburgh University Press.
- Kaplan, H. S. (1974). *The new sex therapy*. New York, NY: Brunner/Mazel.
- Kaplan, H. S. (1977). Hypoactive sexual desire. *Journal of Sex & Marital Therapy*, 3(1), 3–9.
- Lief, H. (1977). Inhibited sexual desire. *Medical Aspects of Human Sexuality*, 7, 94–95.
- Mansfield, P. K., Koch, P. B., & Voda, A. (1998). Qualities midlife women desire in their sexual relationships and their changing sexual response. *Psychology of Women Quarterly*, 22, 285–303.
- Mansfield, P. K., Voda, A., & Koch, P. B. (1995). Predictors of sexual response changes in heterosexual midlife women. *Health Values*, 19, 10–20.
- Masters, W. H., & Johnson, V. E. (1966). *Human sexual response*. Boston, MA: Little, Brown.
- Meadows, M. (1997). Exploring the invisible: Listening to midlife women about

- heterosexual sex. *Women's Studies International Forum*, 20(1), 145–152.
- 1195 Murtagh, M., & Hepworth, J. (2003). Menopause as a long-term risk to health: Implications of general practitioner accounts of prevention for women's choice and decision making. *Sociology of Health and Illness*, 25(2), 185–207.
- 1200 Nicholls, L. (2008). Putting the New View classification scheme to an empirical test. *Feminism and Psychology*, 18(4), 515–526.
- 1205 Olofsson, A. B., & Collins, A. (2000). Psychosocial factors, attitudes to menopause, and symptoms in Swedish perimenopausal women. *Climacteric*, 3, 33–42.
- 1210 Potts, A. (2002). *The science fiction of sex: Feminist deconstruction and the vocabularies of heterosex*. London, United Kingdom: Routledge.
- 1215 Rogers, W. (1997). Sources of abjection in Western responses to menopause. In P. Komesaroff, P. Rothfield, & J. Daly (Eds.), *Reinterpreting menopause: Cultural and philosophical issues* (pp. 225–238). London, United Kingdom: Routledge.
- 1220 Rosen, R., Brown, C., Heiman, J., Leiblum, S., Meston, C., Shabsigh, R., . . . D'agostino, R., Jr. (2000). The Female Sexual Function Index (FSFI): A multidimensional self-report instrument for the assessment of female sexual function. *Journal of Sex & Marital Therapy*, 26, 191–208.
- 1225 Sand, M., & Fisher, W. A. (2007). Women's endorsement of models of female sexual response: The Nurses' Sexuality Study. *Journal of Sexual Medicine*, 4, 708–719.
- 1230 Tiefer, L. (2001). A New View of women's sexual problems: Why new? Why now? *The Journal of Sex Research*, 38(2), 89–96.
- 1235 Tiefer, L. (2010). Still resisting after all these years: An update on sexuo-medicalization and on the New View Campaign to challenge the medicalization of women's sexuality. *Sexual and Relationship Therapy*, 25(2), 189–196.
- 1240 Toulmin, S. (1958). *The uses of argument*. Cambridge, United Kingdom: Cambridge University Press.
- 1245 Winterich, J. (2003). Sex, menopause, and culture: Sexual orientation and the meaning of menopause for women's sex lives. *Gender and Society*, 17(4), 627–642.
- 1250 Wood, J. M., Barthelow Koch, P., & Kernoff Mansfield, P. (2006). Women's sexual desire: A feminist critique. *The Journal of Sex Research*, 43(3), 236–244.
- Wood, J. M., Kernoff Mansfield, P., & Barthelow Koch, P. (2007). Negotiating sexual agency: Postmenopausal women's meaning and experience of sexual desire. *Qualitative Health Research*, 17(2), 189–200.