Research Repository UCD

Title	Thematic review of family therapy journals 2007
Authors(s)	Carr, Alan
Publication date	2008-08
Publication information	Carr, Alan. "Thematic Review of Family Therapy Journals 2007" 30, no. 3 (August, 2008).
Publisher	Wiley
Item record/more information	http://hdl.handle.net/10197/5199
Publisher's statement	This is the author's version of the following article: Carr, A. (2008), Thematic review of family therapy journals in 2007. Journal of Family Therapy, 30: 296–319 which has been published in final form at http://dx.doi.org/10.1111/j.1467-6427.2008.00432.x
Publisher's version (DOI)	10.1111/j.1467-6427.2008.00432.x

Downloaded 2023-04-07T10:52:29Z

The UCD community has made this article openly available. Please share how this access benefits you. Your story matters! (@ucd_oa)

© Some rights reserved. For more information

Carr, A. (2008). Thematic review of family therapy journals 2007. *Journal of Family Therapy*, 30, 296-319

THEMATIC REVIEW OF FAMILY THERAPY JOURNALS 2007

Alan Carr

Clanwilliam Institute and University College Dublin

Submitted in February 2008 to: Dr Ivan Eisler, Editorial Office, PO Box 73, Family Therapy Section, DeCrespigny Park, Denmark Hill, London, SE5 8AF.

E. Ivan.Eisler@iop.kcl.ac.uk, Vaithehy.Shanmugam@iop.kcl.ac.uk, jft@iop.kcl.ac.uk

Correspondence address: Alan Carr, Professor of Clinical Psychology, School of Psychology, Newman Building, University College Dublin, Belfield, Dublin 4, Ireland. E. alan.carr@ucd.ie. P. +353-1-716-8740

Running head: Review of Family Therapy Journals 2007

ABSTRACT

In this paper the principal English-language family therapy journals published in 2007 are reviewed under these headings: child-focused problems, adult-focused problems, couples, divorce, diversity, developments in systemic practice, assessment, training, research, international professional developments and deaths.

INTRODUCTION

In 2007 many developments in a broad range of areas were covered in the family therapy journals. In this review, reference will be made to particularly significant papers and also to less significant, but representative articles in the areas of child-focused problems, adult-focused problems, couples, divorce, diversity, developments in systemic practice, assessment, training, research, international professional developments and deaths.

CHILD-FOCSED PROBLEMS

A number of papers in 2007 concerned systemic therapy with the following child-focused problems: childhood physical illness, childhood depression, ADHD, selective mutism, and risk management of adolescents in crisis.

Childhood physical illness

Families, Systems, and Health had a special issue on families and chronic illness. There were papers on family characteristics and family therapy with reference to children with special health care needs (Uding et al., 2007); Rett's syndrome (Retzlaff, 2007), cancer (Gerhardt, 2007), congenital upper limb differences (Murray et al., 2007), and developmental disabilities (Nolan et al., 2007). On a similar theme in the same journal, Linville et al., (2007) conducted an exhaustive review of evidence for the effectiveness of medical family therapy from 1965 to 2004 and concluded that it is effective for helping families adjust to many conditions in both children and adults, but for many conditions further trials are required. Effective medical family therapy interventions involve engaging with clients in ways that take account of the multidisciplinary context of medical family therapy; psychoeducation focusing on the medical condition of concern and its management; the creation of a context within

which family members can address the impact of the illness on family members and the way in which they cope with it; and procedures for helping families anticipate how they will manage illness-related challenges in the future after therapy has concluded.

Childhood depression

Pruitt (2007) gave an overview of structural, interpersonal, and attachment-based family therapy for depression in adolescent boys and concluded that there was some evidence for the effectiveness of each these of these approaches to treatment. Pentecost and McNab (2007) described how the concept of 'keeping company with hope and despair' emerged as an overarching framework for thinking about the quality of the therapeutic relationship when working with depressed young people and their families within the context of a controlled trial (which is mentioned below in the section on research (Trowell et al., 2007)). On a similar theme, Flaskas (2007) explored the dynamics of hope and hopelessness within intimate relationships, and their embeddedness in wider social and historical processes. Within this context, she described clinical practices that involve witnessing the coexistence of hope and hopelessness in a way that nurtures hope, while concurrently emotionally holding both hope and hopelessness.

ADHD

In a systematic review of father-participation in ADHD parenting programmes, Fabiano (2007) found that 87% of reviewed studies did not include information on father-related outcomes. Strategies for increasing father-participation were offered which include establishing the expectation that fathers will be involved in treatment at initial clinical contacts, collecting treatment-related information from both parents, conducting parenting classes that focus on issues of direct relevance to fathers, and integrating parent-child

interactions in recreational settings into parenting programs.

Selective mutism

Sloan (2007) described family therapy with a selectively mute child over the course of 2 years in a school-based setting, and showed the efficacy of utilizing school-based family therapy in treating this relatively rare condition.

Risk management of adolescents in crisis

Systemic practice with families of adolescents who are a danger to themselves or others is challenging. With a complex case example, Bickerton et al. (2007) illustrated the hierarchical Safety First Model for working with such high-risk young people in crisis. With this approach, family therapy and multi-systemic interagency intervention are used to create a safe context for the young person. The approach empowers families, facilitates connections with other relevant agencies, and minimises the need for hospitalization.

ADULT-FOCUSED PROBLEMS

A number of papers in 2007 concerned systemic therapy with the following adult-focused problems: depression, schizophrenia, personality disorders, and trauma.

Depression

Lemmens et al. (2007) described an approach to multifamily therapy for hospitalized patients with major depression. The format involves a series of multicouple group sessions with periodic multifamily sessions, in which children participate. The clinical approach integrates elements of systemic therapy, social constructionist and narrative concepts and the family systems-illness model. One aim of the approach is to help families cope better with the

impact depression has on their lives. The effectiveness of this intervention is being evaluated in a randomized controlled trial.

Schizophrenia

A dimensional rather than a categorical conceptualization of schizophrenia , and a state rather than trait conceptualization of parental expressed emotion (which is a relapse risk factor in psychosis) are the subject matter of two important recent papers on schizophrenia. In a systematic review, Carpenter (2007) concluded that available evidence fits better with a dimensional rather than a categorical conceptualization of schizophrenia. In a comparative study, McFarlane and Cook (2007) found that expressed emotion was significantly higher in the people with a psychotic disorder than in people at risk for psychosis, and that in those at risk for psychosis, expressed emotion was correlated with prodrome duration. These results indicate that expressed emotion is a parental reaction to deterioration of young people developing a psychotic disorder, rather than a trait of family members. Conceptualizing expressed emotion as a potentially transitory reactive state of distressed parents, and the core symptoms of schizophrenia as dimensional phenomena, the intensity of which may wax and wane, may usefully be incorporated into psychoeducational family therapy for schizophrenia.

Personality disorders

Two important papers on working with clients with borderline personality disorder deserve mention. Kirby and Baucom (2007) described the development of a couple-based intervention, in which one partner had experienced chronic difficulties in emotion regulation, characteristic of people with borderline personality disorder. This multi-couple group programme focused on emotion regulation, communication, and problem-solving skills. The

intervention led to improvements in depression, emotion deregulation, and relationship satisfaction. In a clinical paper, Lord (2007a) argued that in order to offer viable treatment options for clients with borderline personality disorder, it is helpful to be cognisant of the potentially profound impact that these clients have on therapists, and also to adopt a larger systems perspective, that permits the involvement of multiple agencies in a co-ordinated way.

Post-traumatic growth

In an important position paper, Walsh (2007) proposed a resilience-oriented approach to recovery from traumatic loss when catastrophic events such as community violence and major disasters occur. Family members are helped to contextualize the distress they experience following traumatic events; to draw on strengths and resources within the family and wider social networks; and to use the experience of trauma, and the process of healing as a context for posttraumatic growth.

COUPLES

In 2007 there were important papers on developments in systemic practice with couples, in the areas of emotionally focused couples therapy and sex therapy.

Emotionally focused couples therapy

A special issue of the *Journal of Systemic Therapies* was devoted to emotionally focused couples and family therapy. It included a series of papers on the topic and Susan Johnson's (2007) plenary address from the Emotionally Focused Therapy 2006 Summit. The series of papers on emotionally focused couples and family therapy covered a range of topics including therapeutic techniques for managing blaming (Bradley and Furrow, 2007), working

with blended families (Furrow and Palmer, 2007), and working with couples facing chronic illness (Stiell et al., 2007). In the plenary address Susan Johnson identified attachment theory as a way of understanding adult love, and as the theoretical basis for emotion-focused couple therapy. Relationship distress occurs when partners experience attachment insecurity and fear their mate will not meet their attachment needs. They may respond with withdrawal and avoidance (shutting down the attachment system) or escalating anxiety (turning up the attachment system). This escalation progresses from protest, through clinging on, to abandonment rage. In distressed couples, their repetitive patterns of destructive interactions (or relationship dance), are organized by intense emotions associated with attachment insecurity. These include fear of abandonment; sadness; anger; and shame. Emotionally focused couples therapy, helps couples understand how their distress and related destructive behaviour patterns, arise from a fear that their attachment needs will not be met. It also helps them use the safety of the therapeutic context to find ways to develop attachment security.

Sex therapy

In the *Journal of Sex and Marital Therapy*, the debate over the pros and cons of the medicalization of sex therapy has been active in 2007, with a particularly important position paper being that of Rowland (2007), with many commentaries, and reflections on the debate being offered by Segraves (2007) in his editorial. The introduction of pharmacological treatments, particularly for male psychosexual problems, has resulted in a shift in clinical practice from the biopsychosocial to the disease model. With this shift toward applying the disease model to male sexual dysfunction, many more individuals are now able to find relief from their difficulties. The search for biological treatments for female sexual disorders will inevitably lead to new clinical interventions. Unfortunately, the medicalization of sexuality has

negative consequences as well as benefits. There has been, and probably there will continue to be an increase in the prescription of pharmacological interventions for sexual problems without adequate assessment of the systemic context within which they occur. In these cases, there is the risk that clients will not be offered an appropriate multimodal service involving couples therapy and pharmacotherapy. This shift toward a disease model of psychosexual problems may also reduce support for basic biopsychosocial research on sexual dysfunction. Rowland (2007) argued that these potential dangers make it imperative for couples and sex therapists to develop a stronger evidence-base for multimodal programmes which incorporate systemic as well as pharmacological interventions for psychosexual problems.

DIVORCE

Systemic practice and divorce was a dominant theme in family therapy journals in 2007. *Family Process* had a special issue on divorce. The series covered the origins of modern divorce (Coontz, 2007), the effects of children's post-divorce living arrangements on adjustment (Kelly, 2007), the long-term effects of divorce on children (Ahrons, 2007), preventing post-divorce coparenting conflict (Cookston et al., 2007; Cowan et al. 2007), clinical practice with complex postdivorce families (Bernstein, 2007; Lebow and Rekart, 2007), and a family therapy perspective on mediation (Katz, 2007). What follows are key points from some of these papers.

Coontz (2007) traced the origins of modern divorce to the historically unprecedented idea that marriage should be based on love and mutual affection. The fragility of modern marriage stems from the same values that have elevated the marital relationship above all other personal and familial commitments. These include the concentration of emotional attachment, personal identity, and self-validation within the marital relationship, and the

attenuation of emotional attachments and obligations beyond the conjugal unit.

Kelly (2007) reviewed research on risk and resiliency of children after divorce, and concluded that traditional visiting guidelines for non-custodial parents fail to address children's best interests. Multi-option, post-divorce co-parenting arrangements serve children's diverse developmental and psychological needs far better than traditional visiting arrangements.

In a 20 year follow-up study of 173 children of divorce, Ahrons (2007) found that those who reported that their parents were cooperative, also reported better relationships with their parents, grandparents, stepparents, and siblings. Parental remarriage was more stressful than divorce. When children's relationships with their fathers deteriorated after divorce, their relationships with their paternal grandparents, stepmother, and stepsiblings were distant, negative, or nonexistent.

In a randomized field trial of the Dads for Life programme which targeted noncustodial parents, Cookston et al., (2007) found that it improved child well-being in the two years after divorce, and that this was due to the impact of the programme on parental conflict. Cowan et al. (2007) is evaluating a related approach in a randomized clinical trial with low-income Mexican American and European American post-divorce fathers and their children.

Lebow and Rekart (2007) outlined an approach to family therapy for high-conflict divorce disputes over child custody and visitation. It includes negotiating a clear therapy contract, creating a multipartial alliance with all parties, careful systemic assessment, incorporating multiple therapy session formats, holding both systemic and individual focused perspectives, adopting a solution-oriented focus, and drawing upon a wide range of intervention techniques.

DIVERSITY

Many papers in 2007 focused on various aspects of working with people from ethnic minorities, and other issues concerning sensitivity to cultural diversity in systemic practice. What follows are some illustrative examples. To take account of the stresses and changes in family organization that arise from transnational connections of economic immigrants, Falicov (2007) proposed a new framework for systemic practice which situates presenting problems, not only within a relational context, but also within community, and cultural-sociopolitical contexts. In a study of 99 Brazilian women, Hollist (2007) found that marital satisfaction was a strong predictor of depression two years later, and argued that this finding supported the use of couples therapy for depression in Brazilian women. Northrup and Bean (2007) explored how to conduct culturally competent family therapy with Latino / Anglo-American families containing adolescents with various problems. Parra-Cardona (2007) presented an ecological and culturally relevant theoretical framework for clinical practice in cases of elder abuse and neglect in Latino families. Ma (2007) described the process of developing a therapeutic alliance with Chinese adolescents suffering from eating disorders. Morwood (2007) gave an account of developing systemic parenting programmes in a Palestinian refugee community in Lebanon. Wilkins (2007) showed how the Internal Family Systems model was used in treating an African-American single mother with a female child who had been sexually abused. This sample of papers shows that sensitivity to cultural diversity in systemic practice was an important concern within the field in 2007.

DEVELOPMENTS IN SYSTEMIC PRACTICE

A number of novel developments in systemic practice in 2007 may be classified as those associated with narrative therapy, those focusing on the construct of forgiveness, and those concerning mindfulness.

Narrative therapy practices

Many journals contained papers on narrative therapy practices. What follows are some illustrative examples. A special issue of the *International Journal of Narrative Therapy and Community Work* was devoted to first person accounts, by experience consultants, of facing particular life challenges that may be a focus of therapy. There were particularly insightful papers by a therapist who described being hospitalized for psychosis (Foss, 2007); and by a Norwegian woman who gave an account of growing up with a mother who had psychiatric difficulties and the impact of this on her life (Walnum, 2007). In the *Journal of Feminist Family Therapy*, Cheon and Murphy (2007), presented practices involving the use of self in marriage and family therapy, drawing on narrative, collaborative language systems, and feminist approaches; and Miller et al. (2007) outlined the use of narrative therapy and internal family systems with survivors of childhood sexual abuse. In *Contemporary Family Therapy*, Saltzburg (2007) described a narrative therapy approach for working with families of adolescents coming-out as lesbian, gay, and bisexual.

Forgiveness

Many difficulties which couples and families bring to therapy involve relationships in which family members have hurt each other, either intentionally or inadvertently. Forgiveness may therefore often be a critical feature of the therapeutic process. In a thoughtful paper, Legaree et al. (2007) critically reviewed how forgiveness is conceptualized within the family therapy literature and identified three main dimensions along which therapists' viewpoints can be located: essentiality, intentionality, and benevolence. Legaree et al. (2007) then presented therapy practices and values that correspond with positions along these dimensions.

Mindfulness

In the *Journal of Marital and Family Therapy* there was a series of papers on mindfulness and family relationships. These papers showed a positive association between mindfulness and satisfying family relationships (Barnes et al., 2007; Wachs and Cordova, 2007), and presented ways in which mindfulness-based interventions could be incorporated into systemic practice (Block-Lerner et al., 2007; Carson et al., 2007; Gehart and McCollum, 2007)

FAMILY ASSESSMENT

In 2007 there were important developments in the assessment of couples and families which focused on mother-infant attachment and marital adjustment.

Mother-infant attachment

In a study of 51 mother-child dyads, 38 of whom had experienced child abuse or neglect, Crittenden et al. (2007) found that the Preschool Assessment of Attachment (Crittenden, 1992) differentiated securely attached versus insecurely attached children on maltreatment status, maternal sensitivity, child's developmental quotient, and maternal attachment strategy. The Preschool Assessment of Attachment was also correlated with other family relationship variables in meaningful ways. In contrast, Crittenden et al. (2007) found that two other methods for assessing attachment - the Ainsworth-extended method (Ainsworth et al., 1978), and the Cassidy-Marvin (Cassidy et al., 1992) method - were not as good at classifying cases. These findings suggest that the Preschool Assessment of Attachment be used in preference to other methods when assessing risk of abuse or neglect in families with preschool children.

Marital adjustment

Two new methods for assessing couples appeared in the journals in 2007. Funk and Rogge (2007) described the development of a new instrument - The Couples Satisfaction Index – which is more reliable and valid than existing measures of relationship satisfaction such as the Marital Adjustment Test (Locke and Wallace, 1959), the Dyadic Adjustment Scale (Spanier, 1976). Henriksen et al. (2007) developed a Multiple Heritage Couple Questionnaire which is designed to help counselling professionals attend to crucial information that is often overlooked when working with multiple-heritage couples.

TRAINING

Noteworthy contributions to the literature on training, supervision and continuing professional development in 2007 have been grouped under the following headings: training non-family therapists in systemic practice, diversity in training, social constructionist practices in training, and innovative training practices.

Training non-family therapists in systemic practice

There were a number of important papers in 2007 on continuing professional development initiatives to train non-family therapists in systemic practice skills. Borins (2007) described the evaluation of a five-weekend, year-long, intensive psychotherapy training programme for family physicians. The therapy skills of all 55 family physicians who completed the programme had improved significantly at the end of the course and about half continued to improve 6 months later. Schweitzer et al. (2007) outlined a comprehensive eighteen-day, multiteam, multidisciplinary training approach to family systems practices within the context of psychiatry inpatient services. It has been developed and tested as part of the systems therapy in acute psychiatry project in Germany which aims to establish systemic case conceptualizations and interventions as routine practice in acute psychiatry. The training had

a significant impact on the quantity and quality of systemic conversations mental health professionals had with patients. Stanbridge and Burbach (2007) described a UK, NHS based, trust-wide training programme on systemic practice in the broad field of mental health. Webster (2007) commented that the papers by Stanbridge and Burbach (2007) and Schweitzer et al. (2007), along with other papers published in 2006 (Asen and Schuff, 2006; Bertrando et al., 2006; Burbach and Stanbridge, 2006; Fadden, 2006; Kuipers, 2006) provide a solid foundation for those wanting to develop systemic services for families of adult mental health service users.

Diversity in training

Taking account of cultural diversity within systemic supervision was a significant theme within the training literature in 2007. What follows are two examples of papers which focused on this theme. Watts-Jones (2007) outlined the development, process, and impact of a mentoring group for family therapists of colour working within a predominantly white institution. The mentoring group offered a valuable resource for support, validation, and empowerment. Shellenberger (2007) showed how the cultural genogram may be used as an educational tool to teach health-care professionals a structured way to address patients' and families' cultural beliefs and practices, particularly where families come from differing ethnic backgrounds.

Social constructionist practices in training

The use of narrative and social constructionist practices in supervision was addressed in a number of papers in 2007. Whiting (2007) described how social constructionist and narrative ideas can be applied in supervision, both as content to be taught and as a philosophy to be applied. Lee and Littlejohns (2007) illustrated how externalization may be used in systemic

supervision.

Innovative training practices

The *Journal of Family Therapy* contained a special feature on innovative training practices edited by David Cottrell (2007). The papers contained creative training exercises on such topics as interdisciplinary and interagency learning (Aggett et al., 2007), identifying support systems (Dutta and Finlay-Musonda, 2007), exploring the position of the other (Partridge et al. 2007), polyphonic dialogue for introducing systemic-social constructionist ideas (Tseliou 2007), meditation (Lord, 2007b), the use of self (Boston, 2007) and development of self in family therapy (Woodcock and Rivett, 2007), experiential learning of research skills (Stratton, 2007), family therapy and clinical psychology (Atkin, 2007, Carr, 2007), and diversity, race and culture (Ali, 2007; Mills-Powell and Worthington, 2007).

RESEARCH

In 2007 significant research papers of interest to systemic practitioners focused on therapy outcome, deterioration in family functioning following individual therapy, therapy process, common factors in couples therapy, the therapist as a common factor, and cost-effectiveness.

Therapy outcome

In 2007 a number of randomized controlled trials have been published which support the effectiveness of systemic therapy with a range of disorders including behaviour problems in toddlers (Gardner et al., 2007), childhood depression (Trowell et al., 2007), juvenile obsessive compulsive disorders (Storch et al., 2007), adolescent bulimia nervosa (Le Grange et al., 2007; Schmidt et al., 2007), adherence problems in juvenile diabetes (Ellis et

al., 2007), adult bipolar disorder (Milkoitz et al., 2007), and substance abuse (Li et al., 2007). In a randomized trial with 120 low-income families of 2-year-old boys, Gardner et al. (2007) found that a brief, family-centred intervention led to increases in proactive and positive parenting which in turn reduced disruptive behaviour. In an international multisite trial of 72, 9-15 year olds, Trowell et al. (2007) found that 81% of those who received family therapy and 100% of those who received psychodynamic therapy were fully recovered at 6 months follow-up (but this group difference was not significant). In a trial involving 40 young people with obsessive compulsive disorder, Storch et al. (2007) found that an intensive daily programme, and a less intensive weekly programme of family-based exposure and response prevention treatment were equally effective, leading to remission in 72-77% of cases. In two eating disorder trials, family therapy for adolescent bulimia nervosa was shown to be more effective than supportive therapy (Le Grange et al., 2007), and as effective as cognitive behaviour therapy (Schmidt et al., 2007). In both trials, at 6 months follow-up, over 70% of cases treated with family therapy showed partial or complete recovery. In a trial involving 40 families of adolescents with poorly controlled type 1 diabetes, Ellis et al. (2007) found that multisystemic therapy led to significant improvements in adherence and metabolic control, and treatment effectiveness was mediated by treatment fidelity. In a multisite comparative trial to assess the impact of adjunctive psychotherapy in enhancing recovery of bipolar patients being treated with mood stabilizing medication, Miklowitz et al. (2007) found that family therapy was as effective as interpersonal and social rhythm therapy, and cognitive behaviour therapy, but more effective than routine care. In a randomized trial of multiple-couple and single-couple brief therapy for substance abuse, Li et al. (2007) found that at 6 months follow-up both approaches led to improvements in substance abuse and mental health. Most of these trials were published in non-family therapy journals, but deserve mention, because of their importance in adding to the evidence-base for systemic therapy.

Deterioration

Before biomedical treatments are approved for use in routine practice, safety tests must be carried out to assess their potential negative effects on vulnerable organ systems.

Szapocznik and Prado (2007) argue that a case may be made for requiring similar safety tests to be carried out for the potential negative effect of psychotherapeutic treatments on vulnerable social systems, such as the family. In support of this position, they carried out a detailed review of three controlled trials which compared family-based interventions with individual therapy. They found that in all three trials, individual therapy led to significant deterioration in family functioning. They concluded that, in certain instances, individual therapy with vulnerable populations have the potential to produce negative side effects on families, so clearly, safety tests are warranted.

Therapy process

A number of process studies, and reviews of such studies were published in 2007 which throw light on the importance of particular variables in contributing to the effectiveness of family therapy, notably practice style and the therapeutic alliance. In a review of 50 trials of couples therapy, Wright et al. (2007) found that larger effect sizes were obtained in trials that were more representative of normal clinical practice style, in which therapists were more experienced, used a less structured approach to treatment, and received less intensive pre-trial training. Mahaffey and Granello (2007) conducted a systematic review of 19 marital and family therapy studies on the therapeutic alliance published between 1989 and 2003 and found that the results of these studies support the centrality of the therapeutic alliance to effective marital and family therapy. In a qualitative study of 19 families who completed home-based family therapy, Thompson et al. (2007) found that parents and adolescents

believed that engagement was facilitated by developing a therapeutic alliance with therapists, partly because this aided building a shared alliance among family members. In a study of couples therapy, Knobloch-Fedders et al. (2007) found that the therapeutic alliance accounted for 5-22% of the variance in improvement in marital distress.

Common factors in couples therapy

In a qualitative study of three approaches to couples therapy reported in 2 papers in the *Journal of Marital and Family Therapy*, Davis and Piercy (2007a,b) explored factors common to emotionally focused couples therapy, cognitive behavioural couples therapy and internal family systems therapy. They interviewed model developers (Susan Johnson, Frank Dattilio and Richard Schwartz), former students of these model developers, and former clients who had successfully completed therapy with them. They found that a useful distinction could be made between model-dependent and model-independent common factors. Model-dependent common factors, include common conceptualizations, common interventions, and common outcome. Model-independent categories include client variables, therapist variables, the therapeutic alliance, the therapeutic process, expectancy and motivational factors. They also set out a conceptual framework that outlined how various common factors interact to promote improvement in relationship

The therapist as a common factor

There was a series of important papers in *Family Process* and the *Journal of Family Therapy* on the therapist as a common factor contributing to therapy effectiveness (Blow et al., 2007; Eisler, 2006, Sexton, 2007; Simon, 2006, 2007; Sprenkle and Blow, 2007). What follows are some highlights from this debate. Simon (2006) argued that therapists achieve maximum effectiveness by committing themselves to a family therapy model of proven efficacy, the

underlying worldview of which closely matches their own personal worldview. Sexton (2007) pointed out that the therapist is the unifying thread through any course of therapy. Within the context of the therapy process, the therapist enhances or diminishes the impact of both the common factors and model-specific techniques on the clients. Sprenkle and Blow (2007) argued that the contribution of therapist factors to outcome are probably more complex than Simon (2006) suggests, and that an adequate model of such effects should take account of other common and specific factors such as therapist expertise in model delivery, and the quality of the alliance. Blow and Sprenkle (2007) reviewed research findings on the relative contribution of the therapist to outcome, and argued that the therapist is a key change ingredient in most successful therapy.

Cost-effectiveness

Caldwell et al. (2007) estimated the cost-effectiveness of the government or health insurers underwriting the costs of marital therapy for couples considering divorce. They calculated the costs of providing 50,000 distressed couples with behavioural marital therapy or emotionally focused therapy, both of which are relatively brief, empirically supported interventions. They also calculated the public and health-care costs associated with all of these couples divorcing, and the proportion that might not divorce as a result of engaging in couples therapy. In light of these cost estimations, they concluded that marital therapy appears to be cost-effective when paid for by government to reduce public costs of divorce, or when paid for by insurers to offset the increased health-care expenses associated with divorce.

INTERNATIONAL PROFESSIONAL DEVELOPMENTS

Two international issues in 2007 deserving mention are the development of a statement of core competencies for family therapists in the USA, and the 25th anniversary of the

Australian and New Zealand Journal of Family Therapy.

Core competencies for family therapy in the USA

Nelson et al. (2007) described the development of an American Association for Marriage and Family Therapy task force statement on core competencies for the practice of marriage and family therapy. The task force was responding to a call for outcome-based education in systemic therapy, and to questions about the types of practices in which marriage and family therapists engage. The development of the core competencies statement moved the marital and family therapy field into a leading-edge position in mental health in the USA. A similar process is currently underway in the UK.

25 years of family therapy in Australia and New Zealand

Crago and Crago (2007) presented an overview of the 25 year history of the *Australian and New Zealand Journal of Family Therapy* (ANZJFT). They also provide a bibliometric survey of the journal. Darracott (2007) reviewed key themes in the past 25 years of Australian family therapy.

DEATHS

In 2007 we lost seven major contributors to the field of family therapy.

Ian Falloon (1945-2006) died on July 14th, 2006 at the age of 61. A tribute to him by Julian Leff (2007) appeared in the *Journal of Family Therapy*. Falloon was one of the pioneers of family interventions for schizophrenia, and will be remembered for his major contribution to the evidence base of family interventions for schizophrenia.

Insoo Kim Berg (1934-2007) died on January 10th, 2007 at the age of 72. Tributes to her were written by Yvonne Dolan (2007) in the *Journal of Marital and Family Therapy*, and

by Michael Durrant (2007) in the *Journal of Systemic Therapies*. She was a founder, with the late Steve deShazer, of solution focused therapy.

Lyman C Wynne (1923-2007) died on January 17th, 2007 at the age of 83. Tributes to his life and work appeared in *Family Process* (Bloch, 2007; McDaniel, 2007, Sluzki, 2007a) and the *Journal of Marital and Family Therapy* (Shields and McDaniel, 2007). He was a founder of family therapy, and conducted pioneering work on the role of genetic and family factors in the aetiology of schizophrenia.

Ivan Boszormenyi-Nagy (1920-2007) died on January 28th, 2007 at the age of 86. Obituaries to him were written by Marlene Watson's (2007) in the *Journal of Marital and Family Therapy*, and by Margaret Cotroneo (2007) in *Family Process*. He will be remembered for the central role he accorded to invisible loyalties in his intergenerational, contextual approach to family therapy.

Jay Haley (1923-2007) died on February 13th, 2007 at the age of 83. Tributes to him were written by Salvatore Minuchin (2007) in *Family Process*; Wendle Ray (2007a) in the *Journal of Marital and Family Therapy*; Jerome Price (2007) in the *Journal of Systemic Therapies*; and Carlos Sluzki (2007b) in the *Journal of Family Therapy*. Haley will be remembered as the founder of the strategic family therapy tradition, and the person who made the work of the hypnotherapist Milton Erickson accessible to the field of family therapy.

Paul Watzlawick (1922-2007) died on Saturday, March 31st, 2007 at the age of 85. Obituaries to him by Wendle Ray (2007b, c, d) were published in *Family Process*, the *Journal of Marital and Family Therapy*, and the *Journal of Systemic Therapies*. Watzlawick will be remembered for bringing the principles of communication and constructivist theories to bear on clinical practice within the context of the MRI brief therapy model.

Tom Andersen died on May 15th, 2007. Tributes to him by Harlene Anderson appeared in the *Journal of Marital and Family Therapy* and *Family Process*, with the latter

co-authored by Lynn Hoffman (Anderson, 2007; Anderson and Hoffman, 2007). Andersen's reflecting team practices were a major contribution to the field of family therapy.

CONCLUSION

In light of this thematic review it is clear that 2007 was an important year for family therapy. Significant developments in systemic practice with child and adult focused problems, relationship distress and divorce-related adjustment difficulties occurred, and the evidence-base supporting systemic interventions for a number of problems in these domains grew. Sensitivity to cultural diversity within the field continued to be an important issue. A number of innovations in family assessment and systemic training occurred. This was also a year in which we lost seven important pioneers. The growing number of deaths among the founders of family therapy, while a deeply felt loss, also marks the maturing of the discipline.

REFERENCES

- Aggett, P., Brennan, J., Lynch, M., Tapsell, D. and Totsuka, Y. (2007) Creating space for interdisciplinary and interagency learning: The newham 'responsiveness' days. *Journal of Family Therapy*, **29**: 316-320.
- Ahrons, C. (2007) Family ties after divorce: Long-term implications for children. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 53-65.
- Ainsworth, M., Blehar, M., Waters, E. and Wall, S. (1978) *Patterns of Attachment: A Psychological Study of the Strange Situation*. Hillsdale, NJ: Erlbaum.
- Ali, R. (2007) Learning to be mindful of difference: Teaching systemic skills in cross-cultural encounters. *Journal of Family Therapy*, **29**: 368-372.
- Anderson, H. (2007) Tom David Andersen: Fragments of his influence and inspiration.

Journal of Marital and Family Therapy, **33**: 411-416.

Anderson, H. and Hoffman, L. (2007) Memories of Tom David Andersen: Friend, colleague, scholar, inspirer, and rhizome. *Family process*, **46**: 571-574.

Asen, E. and Schuff, H. (2006) Psychosis and multiple family group therapy. *Journal of Family Therapy*, **28**: 58–72.

Atkin, T. (2007) Developing theories of change in clinical psychology training. *Journal of Family Therapy*, **29**: 321-325.

Barnes, S., Brown, K., Krusemark, E., Campbell, W. and Rogge, R. (2007) The role of mindfulness in romantic relationship satisfaction and responses to relationship stress. *Journal of Marital and Family Therapy*, **33**: 482-500.

Bernstein, A. (2007) Re-visioning, restructuring, and reconciliation: Clinical practice with complex postdivorce families. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 67-78.

Bertrando, P., Cecchin, G., Clerici, M., Beltz, J., Milesi, A. and Cazzullo, C. (2006) Expressed emotion and Milan systemic intervention: a pilot study on families of people with a diagnosis of schizophrenia. *Journal of Family Therapy*, **28**: 81–102.

Bickerton, A., Hense, T., Benstock, A., Ward, J., and Wallace, L. (2007) Safety first: A mode of care for working systemically with high risk young people and their families in an acute CAMHS service. *ANZJFT Australian and New Zealand Journal of Family Therapy*, **28**: 121-129.

Bloch, D. (2007) Lyman Wynne and family process: A perfect partnership. *Family Process*, **46**: 155-156.

Block-Lerner, J., Adair, C., Plumb, J., Rhatigan, D. and Orsillo, S. (2007) The case for mindfulness-based approaches in the cultivation of empathy: Does non-judgemental, present-moment awareness increase capacity for perspective-taking and empathic

concern? *Journal of Marital and Family Therapy*, **33**: 501-516.

Blow, A., Sprenkle, D. and Davis, S. (2007) Is who delivers the treatment more important than the treatment itself? the role of the therapist in common factors. *Journal of Marital and Family Therapy*, **33**; 298-317.

Borins, M., Holzapfel, S., Tudevler, F., and Bader, E. (2007) Counselling and psychotherapy skills training for family physicians. *Families, Systems, and Health*, **25**: 382-391.

Boston, P. (2007) Therapeutic groundhog day: Exploring the impact of the theory/approach on the self of the therapist. *Journal of Family Therapy*, **29**: 338-341.

Bradley, B. and Furrow, J. (2007) Inside blamer softening: Maps and missteps. *Journal of Systemic Therapies*, **26**: 25-43.

Burbach, F. and Stanbridge, R. (2006) Somerset's family interventions in psychosis service: an update. *Journal of Family Therapy*, **28**: 39-57.

Caldwell, B., Woolley, S. and Caldwell, C. (2007) Preliminary estimates of cost-effectiveness for marital therapy. *Journal of Marital and Family Therapy*, **33**: 392-405.

Carpenter, W. (2007) Schizophrenia: Disease, syndrome, or dimensions? *Family process*, **46**: 199-206.

Carr, A. (2007) Family therapy training on a clinical psychology programme. *Journal of Family Therapy*, **29**: 326-329.

Carson, J., Carson, K., Gil, K., and Baucom, D. (2007) Self-expansion as a mediator of relationship improvements in a mindfulness intervention. *Journal of Marital and Family Therapy*, **33**: 517-528.

Cassidy, J., Marvin, R. and MacArthur Consortium on Attachment in the Preschool Years. (1992) *Attachment Organization in Three- and Four-year Olds: Coding Guidelines*. Unpublished manuscript, University of Virginia.

Cheon, H. and Murphy, M. (2007) The self-of-the-therapist awakened: Postmodern

approaches to the use of self in marriage and family therapy. *Journal of Feminist Family Therapy*, **19**: 1-16.

Cookston, J., Braver, S., Griffin, W., De Lusé, S. and Miles, J. C. (2007) Effects of the dads for life intervention on interparental conflict and coparenting in the two years after divorce. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**:123-137.

Coontz, S. (2007) The origins of modern divorce. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 7-16.

Cotroneo, M. (2007) In remembrance of Ivan Boszormenyi-Nagy M.D. *Family process*, **46**: 269-270.

Cottrell, D. (2007) Editorial. *Journal of Family Therapy*, **29**: 305-306.

Cowan, C., Cowan, P., Pruett, M. and Pruett, K. (2007) An approach to preventing coparenting conflict and divorce in low-income families: Strengthening couple relationships and fostering fathers' involvement. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 109-121.

Crago, H. and Crago, M. (2007) The ANZJFT: Snapshots from the history of an evolving journal. *ANZJFT Australian and New Zealand Journal of Family Therapy*, **28**: 11-20.

Crittenden, P. (1992) *The Preschool Assessment of Attachment. Coding Manual*.
Unpublished manuscript. Available from the author.

Crittenden, P., Claussen, A. and Kozłowska, K. (2007) Choosing a valid assessment for attachment for a clinical use: A comparative study. *ANZJFT Australian and New Zealand Journal of Family Therapy*, **28**: 78-87.

Darracott, R. (2007) Australian family therapy: Have we lived up to our mission statement? *ANZJFT Australian and New Zealand Journal of Family Therapy*, **28**:1-10.

Davis, S. and Piercy, F. (2007) What clients of couple therapy model developers and their former students say about change, part I: Model-dependent common factors across

three models. *Journal of Marital and Family Therapy*, **33**: 318-343.

Dolan, Y. (2007) Tribute to Insoo Kim Berg. *Journal of Marital and Family Therapy*, **33**: 129-131.

Durrant, M. (2007) Remembering Insoo Kim Berg. *Journal of Systemic Therapies*, **26**: 1-12.

Dutta, S. and Finlay-Musonda, B. (2007) Identifying support systems: A mapping exercise. *Journal of Family Therapy*, **29**: 346-350.

Eisler, I. (2006) The heart of the matter – a conversation across continents. *Journal of Family Therapy*, **28**: 329-333.

Ellis, D., Naar-King, S., Templin, T., Frey, M. and Cunningham, P. (2007) Improving health outcomes among youth with poorly controlled type I diabetes: The role of treatment fidelity in a randomized clinical trial of multisystemic therapy. *Journal of Family Psychology*, **21**: 363-371.

Fabiano, G. (2007) Father participation in behavioural parent training for ADHD: Review and recommendations for increasing inclusion and engagement. *Journal of Family Psychology*, **21**: 683-693.

Fadden, G. (2006) Training and disseminating family interventions for schizophrenia: developing family intervention skills with multi-disciplinary groups. *Journal of Family Therapy*, **28**: 23–38.

Falicov, C. (2007) Working with transnational immigrants: Expanding meanings of family, community, and culture. *Family process*, **46**: 157-171.

Flaskas, C. (2007) Holding hope and hopelessness: Therapeutic engagements with the balance of hope. *Journal of Family Therapy*, **29**: 186-202.

Foss, T. (2007) Struggling for dignity in a time of crisis. *International Journal of Narrative Therapy and Community Work*, **2**:10-14.

Funk, J. and Rogge, R. (2007) Testing the ruler with item response theory: Increasing

precision of measurement for relationship satisfaction with the couples satisfaction index. *Journal of Family Psychology*, **21**: 572-583.

Furrow, J. and Palmer, G. (2007) EEFT and blended families: Building bonds from the inside out. *Journal of Systemic Therapies*, **26**: 44-58.

Gardner, F., Shaw, D., Dishion, T., Burton, J. and Supplee, L. (2007) Randomized prevention trial for early conduct problems: Effects on proactive parenting and links to toddler disruptive behaviour. *Journal of Family Psychology*, **21**: 398-406.

Gehart, D. and McCollum, E. (2007) Engaging suffering: Towards a mindful re-visioning of family therapy practice. *Journal of Marital and Family Therapy*, **33**: 214-226.

Gerhardt, C., Gutzwiller, J., Huiet, K., Fischer, S., Noll, R. and Vannatta, K. (2007) Parental adjustment to childhood cancer: A replication study. *Families, Systems, and Health*, **25**: 263-275.

Henriksen, R., Watts, R. and Bustamante, R. (2007) The multiple heritage couple questionnaire. *The Family Journal*, **15**: 405-408.

Hollist, C., Miller, R., Falceto, O. and Fernandes, C. (2007) Marital satisfaction and depression: A replication of the marital discord model in a Latino sample. *Family Process*, **46**: 485-498.

Johnson, S. (2007) A new era for couple therapy: Theory, research, and practice in concert. *Journal of Systemic Therapies*, **26**: 5-16.

Katz, E. (2007) A family therapy perspective on mediation. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 93-107.

Kelly, J. (2007) Children's living arrangements following separation and divorce: Insights from empirical and clinical research. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 35-52.

Kirby, J. and Baucom, D. (2007) Treating emotion dysregulation in a couples context: A pilot

study of a couples skills group intervention. *Journal of Marital and Family Therapy*, **33**: 375-391.

Knobloch-Fedders, L., Pinsof, W. and Mann, B. (2007) Therapeutic alliance and treatment progress in couple psychotherapy. *Journal of Marital and Family Therapy*, **33**: 245-257.

Kuipers, E. (2006) Family interventions in schizophrenia? evidence for efficacy and proposed mechanisms of change. *Journal of Family Therapy*, **28**: 73–80.

Le Grange, D., Crosby, R., Rathouz, P. and Leventhal, B. (2007) A randomized controlled comparison of family-based treatment and supportive psychotherapy for adolescent bulimia nervosa. *Archives of General Psychiatry*, **64**: 1049-1056.

Lebow, J., and Rekart, K. (2007) Integrative family therapy for high-conflict divorce with disputes over child custody and visitation. *Family Process. Special Issue: Divorce and Its Aftermath*, **46**: 79-91.

Lee, L., and Littlejohns, S. (2007) Deconstructing agnes: Externalization in systemic supervision. *Journal of Family Therapy*, **29**: 238-248.

Leff, J. (2007) A tribute to Ian Falloon. *Journal of Family Therapy*, **29**: 1-2.

Legaree, T., Turner, J., and Lollis, S. (2007) Forgiveness and therapy: A critical review of conceptualizations, practices, and values found in the literature. *Journal of Marital and Family Therapy*, **33**: 192-213.

Lemmens, G., Eisler, I., Migerode, L., Heireman, M., and Demyttenaere, K. (2007) Family discussion group therapy for major depression: A brief systemic multi-family group intervention for hospitalized patients and their family members. *Journal of Family Therapy*, **29**: 49-68.

Li, S., Armstrong, M., Chaim, G., Kelly, C., and Shenfeld, J. (2007) Group and individual couple treatment for substance abuse clients: A pilot study. *American Journal of Family Therapy*, **35**: 221-233.

- Linville, D., Hertlein, K. M., and Lyness, A. M. P. (2007) Medical family therapy: Reflecting on the necessity of collaborative healthcare research. *Families, Systems, and Health*, **25**: 85-97.
- Locke, H. and Wallace, K. (1959) Short marital adjustment and prediction tests: Their reliability and validity. *Marriage and Family Living*, **21**: 251.
- Lord, S. (2007a) Systemic work with clients with a diagnosis of borderline personality disorder. *Journal of Family Therapy*, **29**: 203-221.
- Lord, S. (2007b) Meditative dialogue: A tool for engaging students in collaborative learning processes. *Journal of Family Therapy*, **29**: 334-337.
- Ma, J. (2007) Journey of acculturation: Developing a therapeutic alliance with Chinese adolescents suffering from eating disorders in Shenzhen, China. *Journal of Family Therapy*, **29**: 389-402.
- Mahaffey, B. and Granello, P. (2007) Therapeutic alliance: A review of sampling strategies reported in marital and family therapy studies. *The Family Journal*, **15**: 207-216.
- McDaniel, S. (2007) Lyman C. Wynne MD, PhD: Master mentor, family therapy pioneer, and scholar. *Family Process*, **46**: 151-153.
- McFarlane, W. and Cook, W. (2007) Family expressed emotion prior to onset of psychosis. *Family Process*, **46**: 185-197.
- Miklowitz, D., Otto, M., Frank, E., Reily Harrington, N., Wisniewski, S., Kogan, J., Nierenberg, A., Calabrese, R., Marangell, L., Gyulai, L., Araga, M., Gonzalez, J., Shirley, E., Thase, M. and Sachs, G. (2007) Psychosocial treatments for bipolar depression: A 1-year randomized trial from the Systematic Treatment Enhancement Program. *Archives of General Psychiatry*, **64**: 419-427.
- Miller, B., Cardona, J. and Hardin, M. (2007) The use of narrative therapy and internal family systems with survivors of childhood sexual abuse: Examining issues related to loss

and oppression. *Journal of Feminist Family Therapy*, **18**: 1-27.

Mills-Powell, D., and Worthington, R. (2007) Space for GRRACCEESS: Some reflections on training for cultural competence. *Journal of Family Therapy*, *29*(4), 364-367.

Minuchin, S. (2007) Jay Haley: My teacher. *Family process*, **46**: 413-414.

Morwood, S. (2007) A family therapist at work in a refugee camp. *ANZJFT Australian and New Zealand Journal of Family Therapy*, **28**: 171-172.

Murray, C., Kelley-Soderholm, E. and Murray, T. (2007) Strengths, challenges, and relational processes in families of children with congenital upper limb differences. *Families, Systems, and Health*, **25**: 276-292.

Nelson, T., Chenail, R. , Alexander, J., Crane, D., Johnson, S. and Schwallie, L. (2007) The development of core competencies for the practice of marriage and family therapy. *Journal of Marital and Family Therapy*, **33**: 417-438.

Nolan, K., Orlando, M. and Liptak, G. (2007) Care coordination services for children with special health care needs: Are we family-centred yet? *Families, Systems, and Health*, **25**; 293-306.

Northrup, J., and Bean, R. (2007) Culturally competent family therapy with Latino/Anglo-American adolescents: Facilitating identity formation. *American Journal of Family Therapy*, **35**: 251-263.

Parra-Cardona, J., Meyer, E., Schiamberg, L., and Post, L. (2007) Elder abuse and neglect in Latino families: An ecological and culturally relevant theoretical framework for clinical practice. *Family process*, **46**: 451-470.

Partridge, K., McCarry, N. and Wilson, T. (2007) Practices of freedom: Playing with the position of the other. *Journal of Family Therapy*, **29**: 311-315.

Pentecost, D., and McNab, S. (2007) Keeping company with hope and despair: Family therapists' reflections and experience of working with childhood depression. *Journal of*

Family Therapy, **29**: 403-419.

Price, J. (2007) Jay Haley: Whither family therapy. *Journal of Systemic Therapies*, **26**: 1-10.

Pruitt, I. (2007) Family treatment approaches for depression in adolescent males. *American Journal of Family Therapy*, **35**: 69-81.

Ray, W. (2007a) Jay Haley - A memorial. *Journal of Marital and Family Therapy*, **33**(3), 291-292.

Ray, W. (2007b) In homage to Paul Watzlawick. *Family Process*, **46**: 415-417.

Ray, W. (2007c) In honour of Paul Watzlawick. *Journal of Marital and Family Therapy*, **33**: 293-294.

Ray, W. (2007d) Authorized obituary: Paul Watzlawick, PhD, dies, philosopher-family therapy pioneer was 85. *Journal of Systemic Therapies*, **26**: i-ii.

Retzlaff, R. (2007) Families of children with rett syndrome: Stories of coherence and resilience. *Families, Systems, and Health*, **25**: 246-262.

Rowland, D. (2007) Will medical solutions to sexual problems make sexological care and science obsolete? *Journal of Sex and Marital Therapy*, **33**: 385-397.

Saltzburg, S. (2007) Narrative therapy pathways for re-authoring with parents of adolescents coming-out as lesbian, gay, and bisexual. *Contemporary Family Therapy*, **29**: 57-69.

Schmidt, U., Lee, S., Beecham, J., Perkins, S., Treasure, J., Yi, I., Winn, S., Robinson, P., Murphy, R., Keville, S., Johnson-Sabine, E., Jenkins, M., Frost, S., Dodge, L., Berelowitz, M. and Eisler, I. (2007) A randomized controlled trial of family therapy and cognitive behaviour therapy guided self-care for adolescents with bulimia nervosa and related disorders. *American Journal of Psychiatry*, **164**: 591-598.

Schweitzer, J., Ginap, C., von Twardowski, J., Zwack, J., Borst, U. and Nicolai, E. (2007) Training psychiatric teams to do family systems acute psychiatry. *Journal of Family Therapy*, **29**: 3-20.

- Segraves, R. (2007) Editor's introduction. *Journal of Sex and Marital Therapy*, **33**: 383.
- Sexton, T. (2007) The therapist as a moderator and mediator in successful therapeutic change. *Journal of Family Therapy*, **29**: 104-108.
- Shellenberger, S., Dent, M. M., Davis-Smith, M., Seale, J., Weintraut, R., and Wright, T. (2007) Cultural genogram: A tool for teaching and practice. *Families, Systems, and Health*, **25**: 367-381.
- Shields, C. and McDaniel, S. (2007) Family therapy pioneer, researcher, and mentor Lyman C. Wynne, MD, PhD 1923-2007. *Journal of Marital and Family Therapy*, **33**: 132-133.
- Simon, G. (2006) The Heart of the Matter: A Proposal for Placing the Self in the Therapist at the Centre of Family Therapy Research and Training. *Family Process*, **45**: 331-344.
- Simon, G. (2007) The heart of the matter: Continuing the conversation. *Journal of Family Therapy*, **29**: 100-103.
- Sloan, T. (2007) Family therapy with selectively mute children: A case study. *Journal of Marital and Family Therapy*, **33**: 94-105.
- Sluzki, C. (2007a) Lyman C. Wynne and transformation of the field of family-and-schizophrenia. *Family Process*, **46**: 143-149.
- Sluzki, C. (2007b) A tribute to Jay Haley (1923-2007) *Journal of Family Therapy*, **29**: 97-99.
- Spanier, G. (1976) Measuring dyadic adjustment: New scales for assessing the quality of marriage and similar dyads. *Journal of Marriage and the Family*, **38**: 15.
- Sprenkle, D. and Blow, A. (2007) The role of the therapist as the bridge between common factors and therapeutic change: More complex than congruency with a worldview. *Journal of Family Therapy*, **29**: 109-113.
- Stanbridge, R. and Burbach, F. (2007) Developing family-inclusive mainstream mental health services. *Journal of Family Therapy*, **29**: 21-43.
- Stiell, K., Naaman, S. and Lee, A. (2007) Couples and chronic illness: An attachment

perspective and emotionally focused therapy interventions. *Journal of Systemic Therapies*, **26**: 59-74.

Storch, E., Geffken, G., Merio, L., Mann, G., Duke, D., Munson, M., Adkins, J., Grabill, K., Murphy, T. and Goodman, W. (2007) Family-based cognitive-behavioural therapy for paediatric obsessive-compulsive disorder: Comparison of intensive and weekly approaches. *Journal of the American Academy of Child and Adolescent Psychiatry*, **46**: 469-478.

Stratton, P. (2007) Dialogical construction of the selves of trainees as competent researchers. *Journal of Family Therapy*, **29**: 342-345.

Szapocznik, J. and Prado, G. (2007) Negative effects on family functioning from psychosocial treatments: A recommendation for expanded safety monitoring. *Journal of Family Psychology*, **21**: 468-478.

Thompson, S., Bender, K., Lantry, J. and Flynn, P. (2007) Treatment engagement: Building therapeutic alliance in home-based treatment with adolescents and their families. *Contemporary Family Therapy*, **29**: 39-55.

Trowell, R., Joffe, I., Campbell, J., Clemente, C., Almqvist, F., Soininen, M., Koskenranta-Aalto, U., Weintraub, S., Kolaitis, G., Tomaras, G., Anastasopoulos, D., Grayson, K., Barnes, J. and Tsiantis, J. (2007) Childhood depression: A place for psychotherapy: An outcome study comparing individual psychodynamic psychotherapy and family therapy. *European Child and Adolescent Psychiatry*, **16**: 157-167.

Tseliou, E. (2007) 'Polyphonic dialogue' as a means for teaching systemic and social-constructionist ideas. *Journal of Family Therapy*, **29**: 330-333.

Uding, N., Sety, M. and Kieckhefer, G. M. (2007) Family involvement in health care research: The "building on family strengths" case study. *Families, Systems, and Health*, **25**: 307-322.

- Wachs, K. and Cordova, J. (2007) Mindful relating: Exploring mindfulness and emotion repertoires in intimate relationships. *Journal of Marital and Family Therapy*, **33**: 464-481.
- Walnum, E. (2007) Sharing stories: The work of an experience consultant. *International Journal of Narrative Therapy and Community Work*, **2**: 3-9.
- Walsh, F. (2007) Traumatic loss and major disasters: Strengthening family and community resilience. *Family Process*, **46**: 207-227.
- Watson, M. (2007) Ivan Boszormenyi-Nagy, MD: A testimony to life. *Journal of Marital and Family Therapy*, **33**: 289-290.
- Watts-Jones, D., Ali, R., Alfaro, J., and Frederick, A. (2007) The role of a mentoring group for family therapy trainees and therapists of color. *Family process*, **46**: 437-450.
- Webster, J. (2007) Commentary: Training psychiatric teams to do family systems acute psychiatry' and "developing family-inclusive mainstream mental health services". *Journal of Family Therapy*, **29**: 44-48.
- Whiting, J. (2007) Authors, artists, and social constructionism: A case study of narrative supervision. *American Journal of Family Therapy*, **35**: 139-150.
- Wilkins, E. (2007) Using an IFS informed intervention to treat African American families surviving sexual abuse: One family's story. *Journal of Feminist Family Therapy*, **19**: 37-53.
- Woodcock, J. and Rivett, M. (2007) Bringing the self into family therapy training: Personal and professional consultations with trainee families. *Journal of Family Therapy*, **29**: 351-354.
- Wright, J., Sabourin, S., Mondor, J., McDuff, P. and Mamodhoussen, S. (2007) The clinical representativeness of couple therapy outcome research. *Family Process*, **46**: 301-316.